

HWB041-3S

HYDRAULIC PATIENT TROLLEY



Healthward

Healthier your life

HWB041-3S

FEATURES AND HIGHLIGHTS





Technical parameters

External size (LxW):	2150×790 mm
Table height adjustment:	635-895mm
Back plate adjustment:	0-60° (±10°)

Technical configuration

☑ Hydraulic Pump	1 pc
✓ Air Spring	1 pc
✓ Stainless steel guardrail	1 set
☑ Push handle	1 set
☑ Wall bumper wheel	4 pcs
☑ Foot pedal	2 pcs
☑ 5" Castors with brake	4 pcs
☑ Oxygen cylinder rack	1 pc
☑ Debris basin	1 pc
☑ IV pole	1 pc
☑ Mattress with thickness of 60mm	1 pc







Metal material

Baosteel from Fortune Global 500 Panasonic Robotic ensure 360° full smooth welding.



Painting

11 process epoxy painting, ASTM testing anti-baterial, paint thickness 0.12 mm, brightness 60°. Painting can resist 50 kg impact.



Multifunctional patient cart

Multi-functional trolley, which can be separated into two parts: stretcher and trolley.

The stretcher with four wheels can be used and moved individually.



Bumper wheel

Bumper wheel detachable, max. protect the bed and patient during transportation.



Guardrail

Foldable stainless steel guardrail, no rust, easy to clean.



Hydraulic pumps

American brand hydraulic pump, providing strong support for the functions of height adjustment.



Casters

Four covered casters of 5 inch diameter, all with brakes.



IV pole

SS IV pole, bearing 15kg.



Oxygen bottle holder

Oxygen bottle holder, load capacity: 15KG.



Stainless steel basin

Equipped with stainless steel sewage basin and other various accessories.



Mattress

Waterproof maffress, convenient for transfer patient.



Healthward

As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.















export@health-ward.com

www.health-ward.com

