


HWCQ8k

ELECTRIC CHILDREN BED





Healthward

Healthier
your life

HWCQ8k

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxWxH):	1975x880x465-760 mm
▪ Mattress platform:	1730x780 mm
▪ Safe working load:	200 kg
▪ Back-rest adjustment:	0-75° (±5°)
▪ Knee-rest adjustment:	0-35° (±5°)
▪ Trendelenburg:	0-12°

Optional

- Trapeze pole
- Directional wheels function

▪ Reverse Trendelenburg:	0-12°
--------------------------	-------

Technical configuration

<input checked="" type="checkbox"/> Linear motor	2pcs
<input checked="" type="checkbox"/> Stainless steel side rail with extra protection	1set
<input checked="" type="checkbox"/> PP bed ends with safe lock	1set
<input checked="" type="checkbox"/> PP bed platform, removeable, washable	5pcs
<input checked="" type="checkbox"/> 5" double side castors with central locking system	4pcs
<input checked="" type="checkbox"/> IV pole	1set
<input checked="" type="checkbox"/> IV pole prevision	4pcs
<input checked="" type="checkbox"/> Drainage hook	2pcs

QUALITY CONTROL

SAIKANG medical, as a pioneer in the field of medical furniture, always choose branded suppliers strictly to ensure the safety and reliability of raw material. SAIKANG adopt robot welding, automatic epoxy coating, efficient assembly line, dedicated operator, rigorous quality control, only to guarantee SAIKANG's commitment on quality




Design

This Bed uses unique design to meet hospital strict gremfree request. Head & Foot board and platform are all seamless, which supports effective sterilization.



Steels | welding

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth welding.



Plastic | Painting

Environmental plastic can be sterilized in 100°C, tensile upto 30MPa.
11 Process epoxy painting, ASTM testing anti-baterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



Electric Motor

American motor, with UL/ROHS/EN standard. Noise under 50dB, with lifetime 20,000 times movement.

Accessories



Platform

Five PP material bed platforms are washable and easily movable.



Castors | Brake system

Castors with TPR tire, no worn-out after running 30KM, united forming without bolts.

Pass Dynamic test: bearing 120kg run 30KM and pass obstacles 500time.

Brake uses 301 stainless steel. Casters' brakes keep qualified after 10,000 times test.

Head & Foot Board

Modern design PP head&foot board.
Easy to be cleaned and installed.



Handle Controller

Handle controller contains flexible spiral cable for easy mobility and operation in optimal position. Patient and nurse can control all necessary functions.



Siderail

Side rail made from stainless steel and take 12-staff design. And it with stainless steel protection for patients can get on or off bed easily.




Drainage Hooks

Mobile plastic drainage hooks.



IV Pole

Full SS IV pole, bearing 2.5kg per hook.



Safe working load

200 kg




Back-rest adjustment

75°



Knee-rest adjustment

35°




Height adjustment

465-760 mm



Reverse trendelenburg

12°



Trendelenburg


12°

As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.

Healthward



 17800 CASTLETON ST STE 180.CITY OF INDUSTRY CA 91748

 +1 (603) 416-3063 ·  24/7

 export@health-ward.com

 www.health-ward.com



General catalogue