


Grace Care series

# HWD3w

# THREE FUNCTIONS MANUAL BED



**Healthward** 

Healthier your life

# HWD3w

## FEATURES AND HIGHLIGHTS







## Technical parameters

<ul> <li>External size (LxWxH)</li> </ul>	2245x1000x435-745 mm
<ul> <li>Mattress platform</li> </ul>	1925x830 mm
Safe working load	250 kg
Back-rest adjustment	0-75°(±10°)
<ul> <li>Knee-rest adjustment</li> </ul>	0-35°(±10°)



## Technical configuration

✓ Manual Cranks	3pcs
✓ 5" Hardshell Castors	4pcs
☑ Foldable Side Rail with ProErgo	
✓ ABS Grace Bed Ends with Safe	
✓ IV Pole	1set
✓ IV Pole Prevision	4pcs
✓ Drainage Hook	2pcs
-	



### Optional





#### Design

Extra long and height head foot board, with curve surrounded design, provide conforting feeling for patients.



#### Plastic

Environmental plastic can be sterilized in 100°C, tensile upto 30MPa Virgin ABS material.



#### Steels | Painting

Baosteel from Fortune Global 500 11 Process epoxy painting, ASTM testing anti-baterial, paint thickness 0.12 mm, brightness 60°, paint can resist 50 kg impact.



#### Welding | Chassis

Panasonic robotic ensure, 360° full smooth wedlding Solid bed base made of 5.0 mm stamped rotating plate.



#### **Hand Control**

Retractable hand crank, 100,000 times remaining intact Extreme protection device, sounds when tipped to the max position, Strong pallets to increase the bed height adjustment (435-745mm).



#### Platform

Stamping forming platform, smooth surface no welding scar, bearing 250KG load. Option resin X-ray translucent platform.



#### Guardrail

L-shaped foldable guardrail (Patent) with ProErgo-Handle™, patented parts. with red and green mark to indicated if the siderail is locked or not. Bended tube, solid installing, 0 shaking, antipinch, protect patient's safety.



#### **Head & Foot Board**

Head and foot board can be reversable, extra height design, size: 1000\*563mm; ABS Grace Bed Ends with Safe Lock, automatic lock without any manual operation on lock, on/off removable mark on hook lock.



#### Castors

5" hardshell casters TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts. Pass Dynamic test: Bearing 120kg run 30KM and pass obstacles 500 time.



#### **Drainage Hooks**

Mobile plastic drainage hooks.



#### IV pole

Stainless Steel Column with plastic hook.



# **Healthward**

As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.















export@health-ward.com

www.health-ward.com

