



Healthward`

ISO :: D (E FDA 🎡 🦄



HWR-ET625

FEATURES AND HIGHLIGHTS

Technical parameters

Size (LxWxH)

625×475×930 mm

Technical configuration

1 pc.
1 pc.
1 pc.
1 pc.
1 pc.
2 pcs.
4 pcs.
1 set
1 pc.
1 pc.
1 pc.



Powder Coated Column

Make the structure of the trolley more stable and firm.

Drawers

1-3 layer small drawer, fourth floor middle drawer, fifth floor large drawer, can put different sizes of medicine boxes and other medical materials, and equipped with central control lock.

File Box

Side attached file box, for storage of paper work.







Table Top

Stainless steel side rail, avoid possible fall down during movement of trolley.



Sliding Tray Laterally extendable worktop.

Debris Basket It is easy to put some files about patient records.





Drawer Inside Dividers With abs inserts inside, which can be separated freely as required.

Drawer Card Holder card insert from downside, easy keep clean.





Heavy Duty Construction Wheels assembled on the same vertical line as trolley four columns, more stable.

CPR Board Used to save apatient in an emergency.



Defibrillator Holder

The plate surfaceis made of virgin ABS material. The position of the IV pole and the defibrillator can be exchanged for easy use.



Trash Can

There are two ABS dirt buckets of the car body, different colors can distinguish different kinds of dirt.



Castor

Power Cord

4 nylon wheels Ø100 mm with nonmarking tires and plain bearings, two with brakes.



Power cord & sockets detachable. 0000

Oxygen Cylinder Holder Inserted oxygen bottle holder, belts fixed on trolley main body.



IV Pole Hidden height adjustable IV pole, 4 hooks, dia 25mm.







Healthward `

As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.



- 17800 CASTLETON ST STE 180.CITY OF INDUSTRY CA 91748
- 🕕 +1 (603) 416-3063 · 🕓 24/7
- export@health-ward.com
- () www.health-ward.com

