



# HWX07

Examination Table



Healthward™

## TECHNICAL PARAMETERS

External L\*W\*H

1900\*600\*680mm

## TECHNICAL CONFIGURATION


Anti-slip Bed Feet Cover

4pcs

## RICH PARTS



1.2-1.5 mm Thickness powder coated steel frame, 250 kg bear loading



4 pcs Anti-slip bed feet covers



## QUALITY CONTROL

### LEATHER

Flame retardant, yellow resistance, mildew resistance, bending resistance, 100,000 times wear resistance

100,000<sub>times</sub>



### SPONGE

Flame retardant, 4 cm thickness, high-density foam, density 30 kg/m<sup>3</sup>

4<sub>cm</sub> | 30<sub>kg/m<sup>3</sup></sub>



### PAINTING

1 | Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact

0.12<sub>mm</sub> | 60° | 50<sub>kg</sub>



### METAL MATERIAL

Baosteel from Fortune Global 500  
Panasonic Robotic ensure 360° full smooth wedding

500 | 360°





As the circumstance of printing, the photos might have minor difference on color, tactile from real products.  
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.

# Healthward



 17800 CASTLETON ST STE 180.CITY OF INDUSTRY CA 91748

 +1 (603) 416-3063 ·  24/7

 export@health-ward.com

 www.health-ward.com



General catalogue