

HWX07a

EXAMINATION TABLE



Healthward

Healthier
your life

HWX07a

FEATURES AND HIGHLIGHTS

Technical parameters

▪ External Length	1900 mm
▪ External Width	600 mm
▪ Table Height	680 mm

Technical configuration

<input checked="" type="checkbox"/> Anti-slip Bed Feet Cover	4pcs
--	------

Optional accessories

<input type="checkbox"/> 8 cm Slope pillow	1 pcs
<input type="checkbox"/> Stainless steel bed foot	




Fix
4 pcs Anti-slip bed feet covers.



Frame
1.2-1.5 mm Thickness powder coated steel frame, 250 kg bear loading.



Leather
Flame retardant, yellow resistance, mildew resistance, bending resistance, 100,000 times wear resistance.



Sponge
Flame retardant, 4 cm thickness, high-density foam, density 30 kg/m³.



Painting
11 Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12 mm, brightness 60°, paint can resist 50 kg impact.



Steel | Welding
Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth wedding.



As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.

Healthward



 17800 CASTLETON ST STE 180.CITY OF INDUSTRY CA 91748

 +1 (603) 416-3063 ·  24/7

 export@health-ward.com

 www.health-ward.com



General catalogue