

HWX09 EXAMINATION TABLE







HWX09

FEATURES AND HIGHLIGHTS

Technical parameters

 External size (LxWxH) 	1900x600x680 mm
 Back-rest adjustment 	0-65°(±10°)
Carrying capacity	175kg

Leather

Flame retardant, yellow resistance, mildew resistance, bending resistance, 100,000 times wear resistance.



Metal Material

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth wedlding.



Frame

1.2-1.5 mm Thickness powder coated steel frame,250 kg bear loading.



Technical configuration

🗹 Anti-slip Bed Feet Cover

4pcs

Sponge

Flame retardant, 6cm thickness, highdensity foam, density 30 kg/m³.



Painting

11 Process epoxy painting, ASTM testing anti-baterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact



Fix

4 pcs Anti-slip bed feet covers.



Healthward `

As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.



- 17800 CASTLETON ST STE 180.CITY OF INDUSTRY CA 91748
- 🕕 +1 (603) 416-3063 · 🕓 24/7
- export@health-ward.com
- () www.health-ward.com

