

# Healthward

www.health-ward.com

Design Innovation  
Research Innovation

Manufacturing Innovation  
Maintenance Innovation

Service Innovation



# Healthward

[www.health-ward.com](http://www.health-ward.com)

# LEADING BRAND OF MEDICAL FURNITURE

[www.health-ward.com](http://www.health-ward.com)

# Healthward

[www.health-ward.com](http://www.health-ward.com)

## CONTENTS

01	Healthward	07	Hospital Bed	79	Mattress
03	Innovation	37	Orthopedic Bed	81	Bedside Table
05	Quality	39	Children Bed	82	Overbed Table
		43	Baby Crib	83	Medical Chair
		45	Examination Table	89	Infusion Room
		48	Gynecological Table	91	Dental Clinic
		51	Obstetric Bed	95	Stretcher
		57	Operating Table	97	Stretcher Trolley
		69	Operating Lamp	98	Patient Trolley
		78	Medical Bridge, Ceiling Pendant	103	Medical Trolley



## LEADING BRAND OF MEDICAL FURNITURE

Patients in medical rehabilitation often have to face huge challenges. Many people who suffering from diseases or accidents are faced with retraining their minds and bodies and must adapt to the new environment. In this case, the positive atmosphere would offer decisive help. Hospital beds and furniture should provide the best support for patients and nurses. Considering this case, Healthward devoted to provide medical care solutions and perfect choices for medical institutions and rehabilitation centers, to help patients achieve rapid or long-term recovery.



## QUALITY & INNOVATION

### Design Innovation



Healthward designers have always maintained close communication with medical service providers, to help them providing better solutions to their patients. With long-standing experience in product structure and functional experience, Healthward continue to forge ahead with innovation and play a vital role in helping medical service providers to improve the quality of care.

### Research Innovation



Healthward owns independent research and development center. Since its inception, every year Healthward invested 10% of its annual sales in R&D, launched 10 new products, and applied at least 10 patented technologies on an average basis, which lead Healthward to continuously define the quality of medical products and new standards of efficiency.

### Manufacturing Innovation



Healthward, as a pioneer in the field of medical furniture, always choose branded suppliers strictly to ensure the safety and reliability of raw material. Healthward adopt robot welding, automatic epoxy coating, efficient assembly line, dedicated operator, rigorous quality control, only to guarantee Healthward's commitment on quality.

### Maintenance Innovation



Healthward have more than 50 engineers, and qualified service term that composed of professional subcontractors, trained technicians, and after-sale staff. They are experienced and have excellent skills, not only to respond each service request on time, but also precaution every detail in equipment operation, always focus on products safely.

### Service Innovation



Healthward have thorough service architecture: 7days x 24hours online customer call center, complete spare parts warehouse, advanced CRM system, precautionary service, etc. No matter where customer is, Healthward service will be always close at hand.

**Design Innovation:**


A masterpiece of form, an evolution of function. Developed with 6 distinctive patents, upholding Healthward commitment and diligence towards advancement in care.

**Masterful Build:**

Manufactured with precision from uniquely designed moulds, German laser-cutting technology, Panasonic robot welding techniques, and 11 grades of expert powder coating procedures and mechanisms to produce pieces that perform as seriously as they endure.

**Quality Stewardship:**

Composed of state-of-the-art features excelling beyond 34 rigorous methods and measures of quality control - to deliver confidence on craftsmanship, performance, durability, and longevity.



**Humanised Design:**

Intuitive, multi-functional, and exceptionally reliable. Thoughtfully crafted with both the patient and healthcare provider in mind, to promote the highest quality

**World-class Branded Parts**

Exquisite conception, progressive customisation, revolutionary capabilities. Sourced from the finest around the world - from the choicest raw materials to acclaimed finishing motors - every component is discerningly curated, because only superior parts can build superior products.

# Healthward

www.health-ward.com



Doctor-patient communication system



Real-time vital sign monitoring



Remote Monitoring System




Infusion monitoring system

Equipped with Smart Hospital Bed System



Control system



<p><b>75°±10°</b> Back-rest</p>	<p><b>35°±10°</b> Knee-rest</p>	<p><b>400mm</b> Height Adjustment 530-930mm</p>	<p><b>15°±2°</b> Reverse Trendelenburg</p>	<p><b>15°±2°</b> Trendelenburg</p>	<p><b>17°±2°</b> Lateral Tilt Left</p>	<p><b>17°±2°</b> Lateral Tilt Right</p>	<p><b>weight</b> Weighing System</p>	<p><b>CPR</b> Instant Release</p>
-------------------------------------	-------------------------------------	---	--	--	--	---	--	---------------------------------------

<p><b>0-90°</b> Angle Indicator</p>	<p><b>70+15mm</b> Auto-regression</p>
---	---



## HWZ7z ICU Smart Bed

### Technical Parameters

External Length	2127mm
External Width	1070mm
Bed Height Min.	530mm
Bed Height Max.	930mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	5pcs
<input checked="" type="checkbox"/> 6" Double Side Castors, Central Locking System	4pcs
<input checked="" type="checkbox"/> ABS Oasis Side Rail Extra Height	1 set
<input checked="" type="checkbox"/> ABS Oasis Bed Ends with Safe Lock	1 set
<input checked="" type="checkbox"/> Phenolic Bed Platform	9pcs
<input checked="" type="checkbox"/> Ø85mm Wall Bumper Wheel	2pcs
<input checked="" type="checkbox"/> IV Pole	4pcs
<input checked="" type="checkbox"/> IV Pole Prevision	8pcs
<input checked="" type="checkbox"/> Drainage Hook	1 set
<input checked="" type="checkbox"/> Central Locking Pedal	4pcs
<input checked="" type="checkbox"/> Full-touch LCD Screen Operator	1pc
<input type="checkbox"/> Security Camera	







<b>75°±10°</b> Back-rest 	<b>35°±10°</b> Knee-rest 	<b>420mm</b> Height Adjustment 360-780mm 	<b>16°</b> Reverse Trendelenburg 	<b>16°</b> Trendelenburg 	Cardiac Chair Position 	<b>200mm</b> Bed Extension 	<b>weight</b> Weighing System 
<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 	<b>100+60mm</b> Auto-regression 	<b>30°</b> Position Line 	Built-in LED Torch 			

Oasis Series

# HWY8y

## Electric Bed

### Technical Parameters

External Length	2130mm
External Width	1050mm
Bed Height Min.	360mm
Bed Height Max.	780mm
Mattress Platform	1925×880mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	4pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking System	4pcs
<input checked="" type="checkbox"/> ABS Oasis Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Oasis Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> PP Bed Platform, Removable & Washable	9pcs
<input checked="" type="checkbox"/> Plastic Socket Inside PP Guardrail for Phone or Glasses	2pcs
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest And Trendelenburg Position	4pcs
<input checked="" type="checkbox"/> Ø70mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> ABS Mattress Stopper	2pcs
<input checked="" type="checkbox"/> Hand Controller	1pc
<input checked="" type="checkbox"/> Manual CPR	
<input checked="" type="checkbox"/> Electric CPR	

### Optional

<input type="checkbox"/> Weighing System	
<input type="checkbox"/> Bed Extension 20cm	
<input type="checkbox"/> Back-up Battery	
<input type="checkbox"/> Nurse Control Panel	
<input type="checkbox"/> Emergency Stop Button	
<input type="checkbox"/> Cardiac Chair Position	
<input type="checkbox"/> Directional Wheels Function	
<input type="checkbox"/> 5th and 6th Extra Side Rail For Full Protection	
<input type="checkbox"/> Monkey Pole	
<input type="checkbox"/> Balkan frame	
<input type="checkbox"/> Linen Holder	
<input type="checkbox"/> One-button for patient mobilisation position	
<input type="checkbox"/> One button nursing position	
<input type="checkbox"/> Lowest position indicator	





<b>75°±5°</b> Back-rest 	<b>32°±5°</b> Knee-rest 	<b>290mm</b> Height Adjustment 455-745mm 	<b>12°</b> Reverse Trendelenburg 	<b>12°</b> Trendelenburg 	Cardiac Chair Position 	<b>200mm</b> Bed Extension 	<b>weight</b> Weighing System 
<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 	<b>100+90mm</b> Auto-regression 	<b>30°</b> Position Line 				

## HWV8v Electric Bed



### Technical Parameters

External Length	2085mm
External Width	1025mm
Bed Height Min.	455mm
Bed Height Max.	745mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	4pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking	4pcs
<input checked="" type="checkbox"/> ABS Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Bed Ends with Safe Lock with Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest And Trendelenburg Position	4pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> Cardiac Chair Position	1pc
<input checked="" type="checkbox"/> Nurse Controller	1pc
<input checked="" type="checkbox"/> Integrated Control Panel	2set
<input checked="" type="checkbox"/> Manual CPR	
<input checked="" type="checkbox"/> Auto Break at 30°	
<input checked="" type="checkbox"/> Emergency Stop Button	

### Optional

- Battery Back-up
- Bed Extension
- Weighing System
- Hand Controller
- Night Light
- X-ray Translucent Mattress Platform (Back Section)
- Wheels Directional Function
- Utility Shelf
- Trapeze Bracket/Pole





<b>75°±10°</b> Back-rest 	<b>35°±10°</b> Knee-rest 	<b>290mm</b> Height Adjustment 435-725mm 	<b>12°</b> Reverse Trendelenburg 	<b>12°</b> Trendelenburg 	<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 	<b>weight</b> Weighing System 
---------------------------------	---------------------------------	--	---	---------------------------------	-----------------------------------	-------------------------------------	--------------------------------------

Grace Care  
**HWD8d**  
 Electric Bed

Technical Parameters

External Length	2280mm
External Width	1090mm
Bed Height Min.	435mm
Bed Height Max.	725mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	4pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking	4pcs
<input checked="" type="checkbox"/> ABS Grace Side Rail with Integrated Control Panel	1set
<input checked="" type="checkbox"/> ABS Grace Bed Ends with Integrated LCD Control Panel	1set
<input checked="" type="checkbox"/> Ø85mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> Trapeze Socket	2pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> Manual CPR	

Optional

<input type="checkbox"/> Electrical CPR
<input type="checkbox"/> Weighing System with LCD Screen
<input type="checkbox"/> Bed Extension
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> Cardiac Position
<input type="checkbox"/> ABS Bed Surface
<input type="checkbox"/> X-ray Bed Surface
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Traction Frame
<input type="checkbox"/> Directional Wheel





<b>75°±10°</b> Back-rest 	<b>35°±10°</b> Knee-rest 	<b>290mm</b> Height Adjustment 480-770mm 	<b>12°</b> Reverse Trendelenburg 	<b>12°</b> Trendelenburg 	Cardiac Chair Position 	<b>200mm</b> Bed Extension 	weight Weighing System 
<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 	<b>30°</b> Position Line 	Built-in LED Torch 				

Oasis Series  
**HWY8t**  
Electric Bed

Technical Parameters

External Length	2140mm
External Width	1060mm
Bed Height Min.	480mm
Bed Height Max.	770mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	4pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking System	4pcs
<input checked="" type="checkbox"/> ABS Oasis Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Oasis Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> Stamping Forming Bed Platform	1pc
<input checked="" type="checkbox"/> Plastic Socket Inside PP Guardrail for Phone or Glasses	2pcs
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest And Trendelenburg Position	4pcs
<input checked="" type="checkbox"/> Ø70mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> Emergency Stop Button	1pc
<input checked="" type="checkbox"/> Manual CPR	
<input checked="" type="checkbox"/> Electric CPR	

Optional

- Hand Controller
- Weighing System
- Nurse Control Panel
- Cardiac Chair Position
- Bed Extension 20cm
- Back-up Battery
- Directional Wheels Function
- ABS Mattress Stopper
- Monkey Pole
- Balkan Frame
- Linen Holder



<b>75°±10°</b> Back-rest 	<b>20°±10°</b> Knee-rest 	<b>450mm</b> Height Adjustment 500-950mm 	<b>18°</b> Reverse Trendelenburg 	<b>18°</b> Trendelenburg 	<b>weight</b> Weighing System 	<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 
<b>100mm</b> Auto-regression 	<b>200mm</b> Bed Extension 	<b>Cardiac</b> Chair Position 					

## HWX9x Electric Bed

### Technical Parameters

External Length	2040-2240mm
External Width	1020mm
Bed Height Min.	500mm
Bed Height Max.	950mm
Mattress Platform	1820-2020×820mm
Safe Working Load	250kg

### Optional


- Weighing System With LCD Screen
- Data Storage System
- Monkey Pole

### Technical Configuration

<input checked="" type="checkbox"/> Linak Motor	6pcs
<input checked="" type="checkbox"/> 6" Double Side Castors, Central Locking	4pcs
<input checked="" type="checkbox"/> ABS Side Rail with Integrated Control Panel	1set
<input checked="" type="checkbox"/> ABS Bed Ends One Step Removable	1set
<input checked="" type="checkbox"/> Ø75mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	4pcs
<input checked="" type="checkbox"/> 5" Directional Wheel Pedal	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> X-ray Translucent Mattress Platform	1set
<input checked="" type="checkbox"/> Back-up Battery	1set
<input checked="" type="checkbox"/> Night Light	1set
<input checked="" type="checkbox"/> Bed Push Handle for Emergency Transfer	1set
<input checked="" type="checkbox"/> Manual CPR	
<input checked="" type="checkbox"/> Electric CPR	



Grace Care  
**HWD3d**  
 Manual Bed



Technical Parameters

External Length	2245mm
External Width	1090mm
Bed Height Min.	435mm
Bed Height Max.	745mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

Technical Configuration

<input checked="" type="checkbox"/> Manual Cranks	3pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking	4pcs
<input checked="" type="checkbox"/> ABS Grace Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Grace Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs


Optional

<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Traction Frame
<input type="checkbox"/> Directional Wheel





Grace Care  
**HWD3w**  
 Manual Bed



Technical Parameters

External Length	2245mm
External Width	1000mm
Bed Height Min.	435mm
Bed Height Max.	745mm
Mattress Platform	1925×830mm
Safe Working Load	250kg

Technical Configuration

<input checked="" type="checkbox"/> Manual Cranks	3pcs
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail with ProErgo-Handle™	1set
<input checked="" type="checkbox"/> ABS Grace Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

Optional

<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Traction Frame
<input type="checkbox"/> Directional Wheel





# HWK3k

## Manual Bed

- Teal
- True Blue
- Sage Green
- Rosy Pink
- Pale Oak
- White Oak
- Red Oak

**75°±10°**  
Back-rest

**40°±10°**  
Knee-rest


**310mm**  
Height  
Adjustment  
400-710mm

### Technical Parameters

External Length	2105mm
External Width	980mm
Bed Height Min.	400mm
Bed Height Max.	710mm
Mattress Platform	1925×820mm
Safe Working Load	200kg

### Technical Configuration

<input checked="" type="checkbox"/> Manual Crank	3pcs	<input checked="" type="checkbox"/> Drainage Hook	4pcs
<input checked="" type="checkbox"/> 5" Covered Castors	4pcs	<input checked="" type="checkbox"/> ABS Mattress Holder	2pcs
<input checked="" type="checkbox"/> Foldable Side Rail	1set		
<input checked="" type="checkbox"/> ABS Bed Ends with Safe Lock	1set		
<input checked="" type="checkbox"/> IV Pole	1set		
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs		







## HWB4e Manual Bed

<p><b>75°±10°</b> Back-rest</p>	<p><b>35°±10°</b> Knee-rest</p>	<p><b>250mm</b> Height Adjustment 160-710mm</p>	<p><b>CPR</b> Instant Release</p>	<p><b>0-90°</b> Angle Indicator</p>
-------------------------------------	-------------------------------------	---	---------------------------------------	---

### Technical Parameters

External Length	2180mm
External Width	1060mm
Bed Height Min.	460mm
Bed Height Max.	710mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	3pcs
<input checked="" type="checkbox"/> Hand Controller	1pc
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> ABS Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

### Optional


<input type="checkbox"/> Manual CPR
<input type="checkbox"/> Electric CPR
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> X-ray Bed Surface
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Traction Frame
<input type="checkbox"/> Directional Wheel



# HWB8e

## Electric Bed

75°±10° Back-rest	35°±10° Knee-rest	290mm Height Adjustment 435-725mm	12° Reverse Trendelenburg	12° Trendelenburg	CPR Instant Release	0-90° Angle Indicator
----------------------	----------------------	---	------------------------------	----------------------	------------------------	--------------------------



### Technical Parameters

External Length	2170mm
External Width	1060mm
Bed Height Min.	435mm
Bed Height Max.	725mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	4pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking	4pcs
<input checked="" type="checkbox"/> ABS Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Bed Ends with Integrated Control Panel	1set
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs

### Optional

<input type="checkbox"/> Manual CPR
<input type="checkbox"/> Electric CPR
<input type="checkbox"/> Weighing System
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> X-ray Bed Surface
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Traction Frame
<input type="checkbox"/> Directional Wheel

# HWB6e

## Electric Bed

75°±10° Back-rest	35°±10° Knee-rest	310mm Height Adjustment 435-745mm	CPR Instant Release	0-90° Angle Indicator
----------------------	----------------------	---	------------------------	--------------------------



### Technical Parameters

External Length	2170mm
External Width	1060mm
Bed Height Min.	435mm
Bed Height Max.	745mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	3pcs
<input checked="" type="checkbox"/> Hand Controller	1pc
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> ABS Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

### Optional

<input type="checkbox"/> Manual CPR
<input type="checkbox"/> Electric CPR
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> X-ray Bed Surface
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Traction Frame
<input type="checkbox"/> Directional Wheel

Oasis Series

# HWY6y

## Electric Bed

<b>75°±10°</b> Back-rest	<b>35°±10°</b> Knee-rest	<b>440mm</b> Height Adjustment 360-800mm	<b>CPR</b> Instant Release	<b>0-90°</b> Angle Indicator	<b>200mm</b> Bed Extension	<b>100+60mm</b> Auto-regression	<b>30°</b> Position Line
-----------------------------	-----------------------------	--	-------------------------------	---------------------------------	-------------------------------	------------------------------------	-----------------------------



### Technical Parameters

External Length	2130mm
External Width	1050mm
Bed Height Min.	360mm
Bed Height Max.	800mm
Mattress Platform	1925×880mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	3pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking System	4pcs
<input checked="" type="checkbox"/> ABS Oasis Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Oasis Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> PP Bed Platform, Removable & Washable	9pcs
<input checked="" type="checkbox"/> Plastic Socket Inside PP Guardrail For Phone Or Glasses	2pcs
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest And Trendelenburg Position	4pcs
<input checked="" type="checkbox"/> Ø100mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> ABS Mattress Stopper	2pcs
<input checked="" type="checkbox"/> Hand Controller	1pc

### Optional


<input type="checkbox"/> Manual CPR
<input type="checkbox"/> Electric CPR
<input type="checkbox"/> Bed Extension 20cm
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> Nurse Control Panel
<input type="checkbox"/> Emergency Stop Button
<input type="checkbox"/> Directional Wheels Function
<input type="checkbox"/> 5 <sup>th</sup> and 6 <sup>th</sup> Extra Side Rail For Full Protection
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan frame

Oasis Series

# HWY6w

## Electric Bed

<b>75°±10°</b> Back-rest	<b>35°±10°</b> Knee-rest	<b>440mm</b> Height Adjustment 365-805mm	<b>200mm</b> Bed Extension	<b>CPR</b> Instant Release	<b>100+60mm</b> Auto-regression
-----------------------------	-----------------------------	--	-------------------------------	-------------------------------	------------------------------------



### Technical Parameters

External Length	2130mm
External Width	1015mm
Bed Height Min.	365mm
Bed Height Max.	805mm
Mattress Platform	1925×880mm
Safe Working Load	250kg


### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	3pcs
<input checked="" type="checkbox"/> 5" Covered Castors with Brake	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail with ProErgo-Handle™	1set
<input checked="" type="checkbox"/> ABS Oasis Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> PP Bed Platform, Removable & Washable	9pcs
<input checked="" type="checkbox"/> Ø100mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> ABS Mattress Stopper	2pcs
<input checked="" type="checkbox"/> Hand Controller	1pc

### Optional

<input type="checkbox"/> Manual CPR
<input type="checkbox"/> Electric CPR
<input type="checkbox"/> Bed Extension 20cm
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> Nurse Control Panel
<input type="checkbox"/> Emergency Stop Button
<input type="checkbox"/> Directional Wheels Function
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan frame

## HWV4w Manual Bed



### Technical Parameters

External Length	2130mm
External Width	1020mm
Bed Height Min.	475mm
Bed Height Max.	725mm
Mattress Platform	1925×900mm
Safe Working Load	250kg


### Technical Configuration

<input checked="" type="checkbox"/> Manual Cranks	4pcs
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail with ProErgo-Handle™	1set
<input checked="" type="checkbox"/> ABS Bed Ends with Safe Lockwith Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

### Optional

<input type="checkbox"/> Auto-regression Function (Back Section)	
<input type="checkbox"/> Utility Shelf	
<input type="checkbox"/> Trapeze Bracket/Pole	

## HWV3v Manual Bed



### Technical Parameters

External Length	2130mm
External Width	1025mm
Bed Height Min.	430mm
Bed Height Max.	740mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> Manual Cranks	3pcs
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> ABS Side Rail Extra Height	1set
<input checked="" type="checkbox"/> ABS Bed Ends with Safe Lockwith Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest And Trendelenburg Position	4pcs
<input checked="" type="checkbox"/> IV Pole	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

### Optional

<input type="checkbox"/> Utility Shelf	
<input type="checkbox"/> Trapeze Bracket/Pole	

# HWK2k

## Manual Bed



### Technical Parameters


External Length	2115mm
External Width	980mm
Bed Height	490mm
Mattress Platform	1925×820mm
Safe Working Load	200kg

### Technical Configuration

<input checked="" type="checkbox"/> Manual Crank	2pcs	<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> 5" Covered Castors	4pcs	<input checked="" type="checkbox"/> Drainage Hook	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail	1 set	<input checked="" type="checkbox"/> ABS Mattress Holder	2pcs
<input checked="" type="checkbox"/> ABS Bed Ends with Safe Lock	1 set		
<input checked="" type="checkbox"/> IV Pole	1 set		

# Grace Care HWD2w

## Manual Bed



### Technical Parameters

External Length	2245mm
External Width	1000mm
Bed Height	500mm
Mattress Platform	1925×830mm
Safe Working Load	250kg

### Technical Configuration


<input checked="" type="checkbox"/> Manual Cranks	2pcs
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail with ProErgo-Handle™	1 set
<input checked="" type="checkbox"/> ABS Grace Bed Ends with Safe Lock	1 set
<input checked="" type="checkbox"/> IV Pole	1 set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Shoes Holder	1 set

### Optional

<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Traction Frame
<input type="checkbox"/> Directional Wheel



## HWGB4w Manual Orthopedic Traction Bed



### Technical Parameters

External Length	2180mm
External Width	960mm
Bed Height Min.	460mm
Bed Height Max.	710mm
Mattress Platform	1925×830mm

### Technical Configuration

✓ Linear Motor	3pcs	✓ IV Pole Prevision	4pcs
✓ 5" Hardshell Castors	4pcs	✓ Drainage Hook	2pcs
✓ Aluminium Alloy Foldable Side Rail	1 set	✓ ABS Mattress Holder	2pcs
✓ PP Bed Ends	1 set	✓ Aluminium Balkan Frame	1 set
✓ IV Pole	1pc		



**Design**  
Use new and strong inserted ABS fire-proof panel avoid off. Easy to be cleaned and installed.



**Steels | Painting**  
Baosteel from Fortune Global 500. 11 Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



**Welding | Chassis**  
Panasonic robotic ensure, 360° full smooth wedding Solid bed base made of 5.0 mm stamped rotating plate.



**Hand Crank**  
Retractable hand crank, 100,000 times remaining intact. Extreme protection device, sounds when tipped to the max position.




**Balkan Frame**  
Aluminum Balkan Frame, which can adjust the longitudinal, lateral and height positions in all directions, and can accurately adjust the most comfortable posture of the patient.



**Head & Foot Board**  
Full ABS material, head and foot board can be reversible.

## HWCX2x Children Bed



Roxy Pink True Blue Sage Green

### Technical Parameters

External Length	1910mm
External Width	930mm
Bed Height	575mm
External Height	1260mm
Mattress Platform	1775×710mm

### Technical Configuration

✓ Manual Cranks	2pcs	✓ IV Pole	1pc
✓ 5" Covered Castors	4pcs	✓ Drainage Hook	2pcs
✓ Full Length Side Rail	1set	✓ Buffer Air Spring	4pcs
✓ Plastic Bed Ends	1set		
✓ IV Pole Prevision	4pcs		

## HWCR0q Children Bed




### Technical Parameters

External Length	1600mm
External Width	740mm
Bed Height	500mm
External Height	1070mm
Mattress Platform	1460×600mm

### Technical Configuration

✓ 5" Covered Castors	4pcs	✓ Drainage Hook	2pcs
✓ Full Length Side Rail	1set		
✓ Integrated Bed Ends	1set		
✓ IV Pole	1pc		
✓ IV Pole Prevision	4pcs		

## HWCR2q Children Bed



### Technical Parameters

External Length	1800mm
External Width	860mm
Bed Height	600mm
External Height	1110mm
Mattress Platform	1600×680mm

### Technical Configuration

✓ Manual Cranks	2pcs	✓ IV Pole Prevision	4pcs
✓ Full Length Side Rail	1set	✓ Drainage Hook	2pcs
✓ Intergrated Bed Ends	1set	✓ Shoes Holder	1pc
✓ Anti-slip Bed Feet Cover	4pcs		
✓ IV Pole	1pc		

# HWCD3q Children Bed



Teal True Blue


### Technical Parameters

External Length	2060mm
External Width	1010mm
Bed Height Min.	500mm
Bed Height Max.	770mm
Mattress Platform	1705×900mm

### Technical Configuration

✓ Manual Cranks	3pcs	✓ IV Pole	1pc
✓ 5" Hardshell Castors	4pcs	✓ Drainage Hook	2pcs
✓ Aluminium Alloy Full Length Side Rail	1set		
✓ ABS Grace Bed Ends with Safe Lock	1set		
✓ IV Pole Prevision	4pcs		

# HWQ2w Children Bed




### Technical Parameters

External Length	2185mm
External Width	880mm
Bed Height Min.	540mm
Bed Height Max.	1940×780mm

### Technical Configuration

✓ Manual Cranks	2pcs	✓ IV Pole Prevision	4pcs
✓ Foldable Side Rail with ProErgo-Handle™	1set	✓ IV Pole	1set
✓ 5" Double Side Castors, Central Locking	4pcs	✓ Drainage Hook	2pcs
✓ PP Bed Platform, Removeable, Washable	1set	✓ Shoes Holder	1set
✓ PP Bed Ends With Safe Lock	1set		

# HWCQ2k Children Bed



### Technical Parameters

External Length	1975mm
External Width	880mm
Bed Height Min.	540mm
Bed Height Max.	1730×780mm

### Technical Configuration

✓ Manual Cranks	2pcs	✓ PP Bed Ends with Safe Lock	4pcs
✓ Aluminium Alloy Full Length Side Rail	1set	✓ IV Pole Prevision	4pcs
✓ 5" Covered Castors	1set	✓ IV Pole	1set
✓ PP Bed Platform, Removeable, Washable	1set	✓ Drainage Hook	2pcs



# HWX01-1

## Baby Crib



### Technical Parameters

External Length	875mm
External Width	525mm
Bed Height Min.	650mm
Bed Height Max.	900mm

### Technical Configuration

<input checked="" type="checkbox"/>	Hydraulic Pump	1 pc
<input checked="" type="checkbox"/>	Bassinet	1 pc
<input checked="" type="checkbox"/>	3" Double Side Castors	4 pcs

# HWX01-5

## Baby Crib



### Technical Parameters

External Length	810mm
External Width	520mm
Bed Height	990mm

### Technical Configuration

<input checked="" type="checkbox"/>	Bassinet	1 pc	<input checked="" type="checkbox"/>	IV Pole	1 set
<input checked="" type="checkbox"/>	3" Covered Castors	4 pcs	<input checked="" type="checkbox"/>	Utility Basket	1 pc
<input checked="" type="checkbox"/>	IV Pole Prevision	2 pcs	<input checked="" type="checkbox"/>	Adjustable Air Spring	1 pc

# HWX20

## Pediatric Exam Table

### Technical Parameters

External Length	1800mm
External Width	650mm
Bed Height	830mm



# HWZ0n

## Electric Bath Bed



### Technical Parameters


External Length	1950mm
External Width	780mm
Bed Height Min.	600mm
Bed Height Max.	830mm

### Technical Configuration

<input checked="" type="checkbox"/>	Linear Motor	1 pc
<input checked="" type="checkbox"/>	5" Covered Castors	4 pcs
<input checked="" type="checkbox"/>	Stainless Steel Side Rail	1 set
<input checked="" type="checkbox"/>	Stainless Steel Bed Ends	1 set

## HWX14

### Hydraulic Examination Table



#### Technical Parameters


External Length	1940mm
External Width	700mm
Table Height Min.	490mm
Table Height Max.	890mm

#### Technical Configuration

✓ Hydraulic Pump	1pc
✓ Adjustable Air Spring	2pcs
✓ 5" Covered Castors	4pcs
✓ Hydraulic pedal	2sets

## HWX36

### Electric Examination Table



#### Technical Parameters

External Length	1890mm
External Width	860mm
Table Height Min.	460mm
Table Height Max.	910mm

#### Technical Configuration

✓ Pillow	1pc	✓ Brake Pedal	4pcs
✓ Motor	1pc	✓ Hand Controller	1pc
✓ Gas spring	2pcs	✓ Manual Operator	1pc
✓ 3" Casters	4pcs		

## HWX12

### Electric Examination Table



#### Technical Parameters

External Length	1900mm
External Width	600mm
Table Height Min.	500mm
Table Height Max.	730mm

#### Technical Configuration

✓ Linear Motor	1pc
✓ Anti-slip Bed Feet Cover	4pcs
✓ Removable Pillow	1pc

## HWX26

### Electric Examination Table



#### Technical Parameters

External Length	1810mm
External Width	680mm
Table Height Min.	480mm
Table Height Max.	850mm

#### Technical Configuration

✓ Pillow	1pc	✓ Hand Controller	1pc
✓ Motor	1pc	✓ Paper Roll Holder	1pc
✓ Mechanical Lever to Adjust Back Rest	1pc		
✓ 2" Casters	2pcs		

## HWX07a Examination Table



HWX07

### Technical Parameters

External Length	1900mm
External Width	600mm
Table Height	680mm

### Technical Configuration

<input checked="" type="checkbox"/> Anti-slip Bed Feet Cover	4pcs
--	------

## HWX09 Examination Table



65°±10°  
Back-rest



HWX08-1




### Technical Parameters

External Length	1900mm
External Width	600mm
Table Height	680mm

### Technical Configuration

<input checked="" type="checkbox"/> Anti-slip Bed Feet Cover	4pcs
<input checked="" type="checkbox"/> Mechanical Lever to Adjust Back Rest	1 set

## HWA046 Gynecological Table



### Technical Parameters


External Length	1900mm
External Width	600mm
Table Height	750mm

### Technical Configuration

<input checked="" type="checkbox"/> Crank Wheel	2pcs	<input checked="" type="checkbox"/> Stirrup	1set	<input checked="" type="checkbox"/> Anti-slip Bed Feet Cover	4pcs
<input checked="" type="checkbox"/> Lithotomy Rod	1set	<input checked="" type="checkbox"/> Hand Bar	1set	<input checked="" type="checkbox"/> Mechanical Lever	2pcs
<input checked="" type="checkbox"/> Shoulder Holder	1set	<input checked="" type="checkbox"/> Arm Holder	1set	<input checked="" type="checkbox"/> 3" Castors with Break	4pcs



## HWA045-1 Gynecological Table



70°±10°  
Back Plate up

90°±10°  
Leg Plate down



### Technical Parameters


External Length	1820mm
External Width	590mm
Table Height	800mm

### Technical Configuration

<input checked="" type="checkbox"/> Lithotomy Rod	1set	<input checked="" type="checkbox"/> Mechanical Lever	2sets
<input checked="" type="checkbox"/> Hand Bar	1set	<input checked="" type="checkbox"/> Stainless Steel Basin	1pc
<input checked="" type="checkbox"/> Anti-slip Bed Feet Cover	4pcs		

# HWA048

## Gynecological Examination Table



### Technical Parameters


External Length	1810mm
External Width	690mm
Table Height	880mm

### Technical Configuration

<input checked="" type="checkbox"/> Drawer	3pcs	<input checked="" type="checkbox"/> Lithotomy Rod	1 set
<input checked="" type="checkbox"/> Step Stool	1pc	<input checked="" type="checkbox"/> Stainless Steel Basin	1pc
<input checked="" type="checkbox"/> Retractable Foot Board	1pc	<input checked="" type="checkbox"/> Paper Roll Holder	1pc

# HWA99-8

## Electric Gynecological Exam Couch



### Technical Parameters


External Length	1400mm
External Width	740mm
Table Height Min.	610mm
Table Height Max.	1100mm

### Technical Configuration

<input checked="" type="checkbox"/> Hand Bars	2pcs
<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs
<input checked="" type="checkbox"/> Foot Pedal	1pc
<input checked="" type="checkbox"/> Stainless Steel Basin	1pc

# HWA99-6

## Electric Gynecological Exam Couch



### Technical Parameters


External Length	1200mm
External Width	500mm
Table Height Min.	500mm
Table Height Max.	1000mm

### Technical Configuration

<input checked="" type="checkbox"/> Simple Side Rail	1 set
<input checked="" type="checkbox"/> Leg Holder	1 set
<input checked="" type="checkbox"/> 5" Castors 4	4pcs
<input checked="" type="checkbox"/> Foot Pedal	1pc



## HWA99-7 Electric Obstetric Bed



### Frame

Base cover made of high quality ABS. It can be sterilized at the temperature above 100 °C. The tensile strength up to 30 MPa. Base structure is made of high-quality seamless steel, robot welded with high strength.

### Battery

Battery could support about 80-120 complete operation cycles. Working time could be last for one week according to useage and help to keep the operating table running in the event of power failure.



**Bed Width**  
Seamless foam mattress, with waterproof PU cover. Easy cleaning and disinfection.



**Arm Plate**  
Flexible arm plate adjustment.



**Hand Controller**  
Electrical braking system. Controlled by hand controller.

### Technical Parameters

External Length	1980mm
External Width	720mm
Table Height Min.	630mm
Table Height Max.	880mm

### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Hand Bars	2pcs	<input checked="" type="checkbox"/> Caster	1pc
<input checked="" type="checkbox"/> Foot Pedal	1pc	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs		
<input checked="" type="checkbox"/> Hand Controller	1pc	<input checked="" type="checkbox"/> Arm Support with Cushion	2pcs		
<input checked="" type="checkbox"/> Anesthesia Screen	1pc	<input checked="" type="checkbox"/> Stainless Steel Basin	1pc		



## HWA99-13 Electric Obstetric Bed



### Material

Base structure is made of high-quality 304 stainless steel, robot welded with high strength and modern appearance.

### Battery

Battery could support about 80-120 complete operation cycles. Working time could be last for one week according to useage and help to keep the operating table running in the event of power failure.



### Mattress

Polyurethane foam mattress, waterproof and seamless, easy cleaning and disinfection.



### Foot pedal controller

All movements are controlled by foot pedal controller.



### LED examination light

Standard accessory: LED examination light. More convenient to do gynecological examination.

### Technical Parameters


External Length	2100mm
External Width	600mm
Table Height Min.	750mm
Table Height Max.	1000mm

### Technical Configuration

<input checked="" type="checkbox"/> Armrest	2pcs	<input checked="" type="checkbox"/> SST Rinsing Basin	1pc
<input checked="" type="checkbox"/> Knee Curtch	2pcs	<input checked="" type="checkbox"/> Pedal Controller	1pc
<input checked="" type="checkbox"/> Pull Handle	2pcs	<input checked="" type="checkbox"/> LED Examination Light	1pc
<input checked="" type="checkbox"/> Anesthesia Frame	1pc		

## HWA99-5

### Electric Obstetric Bed



#### Technical Parameters

External Length	1880mm
External Width	660mm
Table Height Min.	680mm
Table Height Max.	940mm

#### Technical Configuration

<input checked="" type="checkbox"/> Arm Support	2pcs	<input checked="" type="checkbox"/> Tightener	2pcs	<input checked="" type="checkbox"/> Slider	4pcs
<input checked="" type="checkbox"/> Handle	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		
<input checked="" type="checkbox"/> Leg Support	2pcs	<input checked="" type="checkbox"/> Foot Switch	1pc		
<input checked="" type="checkbox"/> Stirrup	2pcs	<input checked="" type="checkbox"/> Stainless Steel Basin	1pc		

## HWA105

### Manual Obstetric Table



#### Technical Parameters

External Length	1900mm
External Width	600mm
Table Height Min.	700mm
Table Height Max.	900mm

#### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs
<input checked="" type="checkbox"/> Mattress	1pc	<input checked="" type="checkbox"/> Arm Support with Cushion	2pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Stainless Steel Basin	1pc
<input checked="" type="checkbox"/> Hand Bars	2pcs		

## HWA98-4

### Electric Obstetric Bed



#### Technical Parameters

External Length	1920mm
External Width	920mm
Table Height Min.	650mm
Table Height Max.	900mm

#### Technical Configuration

<input checked="" type="checkbox"/> Mattress	1pc	<input checked="" type="checkbox"/> Slider	2pcs	<input checked="" type="checkbox"/> Castors	4pcs
<input checked="" type="checkbox"/> Handle	2pcs	<input checked="" type="checkbox"/> Tightener	2pcs	<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> Leg Support	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		
<input checked="" type="checkbox"/> ABS Side Rail	2pcs	<input checked="" type="checkbox"/> Stainless Steel Basin	1pc		



## HWA501 Electric-Hydraulic Operating Table

HWA501 is an advanced, multi-functional electric-hydraulic operating table. Its table top is made of high-strength synthetic board and can transmit X-rays. In addition, the platform can be equipped with a 180° rotation function to realize head and leg interchange, which is applicable for C-arm perspective and placement of some special positions.

<b>20°</b> Reverse Trendelenburg 	<b>15°</b> Trendelenburg 	<b>15°</b> Lateral Tilt left/right 	<b>55°/90°</b> Head Plate up/down 	<b>89°/35°</b> Back Plate up/down 	<b>15°/90°</b> Leg Plate up/down 
<b>120mm</b> Kidney Bridge Up 	<b>320mm</b> Horizontal Sliding C type Arm 	<b>180°</b> Horizontal Rotation 	<b>90°</b> Foot Plate Horizontal Positioning 		



### Technical Parameters

External Length	2125mm
External Width	550mm
Table Height Min.	600mm
Table Height Max.	950mm

### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder with Cushion	2pcs	<input checked="" type="checkbox"/> Kidney Bridge Handle	1pc
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs		
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support with Cushion	2pcs		
<input checked="" type="checkbox"/> Shoulder Holder with Cushion	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		





## HWA106-2 Electric-Hydraulic Operating Table

HWA106-2 is a highly automated electric-hydraulic operating table, which can meet the needs of various surgical operations. The unique design of a super-low position of 500mm, aimed for the brain surgery and ophthalmic surgery.

<p>25° Reverse Trendelenburg</p>	<p>25° Trendelenburg</p>	<p>20° Lateral Tilt left/right</p>	<p>45°/90° Head Plate up/down</p>
<p>80°/20° Back Plate up/down</p>	<p>15°/90° Leg Plate up/down</p>	<p>90° Foot Plate Horizontal Positioning</p>	<p>100mm Kidney Bridge Up</p>



### Technical Parameters

External Length	2085mm
External Width	550mm
Table Height Min.	510mm
Table Height Max.	810mm


### Technical Configuration

<input checked="" type="checkbox"/> Anaesthesia Screen	1 pc	<input checked="" type="checkbox"/> Foot Support	1 pc	<input checked="" type="checkbox"/> Fixing Clamp	7 pcs
<input checked="" type="checkbox"/> Hand Remote	1 pc	<input checked="" type="checkbox"/> Mattress	1 set	<input checked="" type="checkbox"/> Power Line	1 pc
<input checked="" type="checkbox"/> Kidney Bridge Handle	1 pc	<input checked="" type="checkbox"/> Shoulder Support	1 pair		
<input checked="" type="checkbox"/> Arm Support	1 pc	<input checked="" type="checkbox"/> Long Fixing Clamp	1 pair		



## HWA302 Electric Operating Table

HWA302 is a highly automated electric Multi-functional operating table. Its elevation, lowering, trendelenburg, reverse trendelenburg, lateral tilt, back folding, vertical translation and leg folding are all electrically operated. The operating table is equipped with a digital display hand controller to make operation easy and intuitive. With Imported large diameter castors, smooth movement, stable brake system. The standard dual control system guarantees the safety of operation.



### Material

The base material for the table is high thickness 304 stainless steel, seamless welding by robot, with modern appearance and more stable.



### Mattress

Polyurethane foam mattress, waterproof and seamless, avoid liquid in. The connection between table and mattress is buckle joint, easy to disassemble and install, easy to clean.



### Head Plate

Foldable head plate, support for more type of surgical operations.



### Leg Plate

The up and down folding actions of the leg plate are all completed by electric. The leg plate is removable, effortless and smooth.



### Hand Controller

All functions controlled by both hand controller or control panel on table base column. With position LCD display on hand controller, easy to operate.



### Battery Could Support

Battery could support about 80-120 complete operation cycles. Working time could be last for one week according to usage and help to keep the operating table running in the event of power failure.

### Technical Parameters

External Length	2150mm
External Width	555mm
Table Height Min.	700mm
Table Height Max.	1000mm

### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder	2pcs	<input checked="" type="checkbox"/> Sliding Block	8pcs
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support	2pcs	<input checked="" type="checkbox"/> Spanner	5pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support	2pcs		
<input checked="" type="checkbox"/> Shoulder Holder	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		

# HWA301

## Electric Operating Table

HWA301 is a multi-functional electric operating table. Its mattress is made of polyurethane molded material, can be sterilized and cleaned at high temperature, and there are no gaps so to avoid bacterial growth. The platform is made of high-purity phenolic resin board applicable for C-arm, and can be slid up to 350mm in one direction. The X-ray photography can carry out the whole body radiography examination without moving the patient, no blind spots or shadows.



### Technical Parameters

External Length	2150mm
External Width	555mm
Table Height Min.	750mm
Table Height Max.	1000mm

### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder	2pcs	<input checked="" type="checkbox"/> Sliding Block	8pcs
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support	2pcs	<input checked="" type="checkbox"/> Spanner	5pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support	2pcs		
<input checked="" type="checkbox"/> Shoulder Holder	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		

# HWA100-4

## Electric Operation Table

HWA100-4 is an electric operating table that can meet the needs of various surgeries. It is driven by low-voltage DC motor, with safe and stable performance. Super wide table top, super long sliding distance. It can be applicable for C-arm. It has a high level of automation, low noise, strong reliability, and imported original parts for key parts. It is a perfect and ideal operating table.



### Technical Parameters

External Length	2070mm
External Width	550mm
Table Height Min.	700mm
Table Height Max.	1000mm

### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder with Cushion	2pcs
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support with Cushion	2pcs
<input checked="" type="checkbox"/> Shoulder Holder with Cushion	2pcs	<input checked="" type="checkbox"/> Kidney Bridge Handle	1pc

# HWA100-4A

## Electric Operating Table

HWA100-4A is an electric operating table with super load-bearing and extra-long sliding distance, which can be applicable for C-arm. The built-in large-capacity battery can continue to support all operations in the event of a power failure. And the operating table adopts a dual-control system to ensure the safety of the operation.



### Technical Parameters

External Length	2100mm
External Width	550mm
Table Height Min.	710mm
Table Height Max.	1010mm


### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder with Cushion	2pcs	<input checked="" type="checkbox"/> Kidney Bridge Handle	1pc
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs		
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support with Cushion	2pcs		
<input checked="" type="checkbox"/> Shoulder Holder with Cushion	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		

# HWA2000

## Electric Operating Table

HWA2000 is a basic electric operating table with a very high cost effective, it can fulfill the requirement of general surgeries. Its built-in battery can continue to support all operations in the event of a power failure.



### Technical Parameters


External Length	2100mm
External Width	480mm
Table Height Min.	680mm
Table Height Max.	930mm

### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder	2pcs	<input checked="" type="checkbox"/> Sliding Block	10pcs
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support	2pcs	<input checked="" type="checkbox"/> Spanner	4pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support	2pcs		
<input checked="" type="checkbox"/> Shoulder Holder	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		

# HWA205

## Manual Operating Table



### Technical Parameters


External Length	2000mm
External Width	480mm
Table Height Min.	720mm
Table Height Max.	960mm

### Technical Configuration

<input checked="" type="checkbox"/> Arm support	2 pcs	<input checked="" type="checkbox"/> Anaesthetic Screen	1 pc
<input checked="" type="checkbox"/> Leg support	2 pcs		
<input checked="" type="checkbox"/> Body Support	2 pcs		
<input checked="" type="checkbox"/> Shoulder Support	2 pcs		

# HWA3001

## Manual Operating Table



### Technical Parameters

External Length	2000mm
External Width	480mm
Table Height Min.	790mm
Table Height Max.	1040mm


### Technical Configuration

<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Shoulder Support with Cushion	2pcs
<input checked="" type="checkbox"/> Kidney Bridge Handle	1pc	<input checked="" type="checkbox"/> Body Support with Cushion	2pcs
<input checked="" type="checkbox"/> Arm Support with Cushion	2pcs		

### Multi-functional Orthopedic Frame



### Gel Mattress



### Connecting Multi-functional Orthopedic Frame



### Carbon Fiber Multi-functional Orthopedic Frame



### Multi-purpose Head Rack



### Shoulder Traction Frame



### Stirrup Pneumatic Power Leg Rack



### Bow Spine Operating Supporter



### Mechanical Power IV Pole



### Operating Table Accessories Cart



### Knee Surgery Rack



### Double Table Top



### Prone Body Supporting Frame



### Arm Microsurgical Rack



### Bed Surface Widening Module



### External Kidney Bridge



### Dirt Basin



### Body Safe Strap





### Optical System

The bulbs are imported from Germany OSRAM brand, using a special optical system, 360° uniformly illuminated on the observed object, no shadows, true reproduction of the organization color, and achieve constant color temperature under any light intensity conditions. The material is hard and no mercury pollution. Also, the emitted light does not contain infrared and ultraviolet radiation pollution.

### Color Rendering Index

The color rendering index reaches 96, which truly reflects the color of human tissues. It is suitable for various surgical scenes and greatly reduces the visual fatigue of medical staff due to long-term operations.

### Color Temperature&illumination

Using a new type of LED cold light source, the illuminance can reach 140000 Lux, which can realize 16-level brightness adjustment; the color temperature is in the range of 3500-5000K, and four-level color temperature adjustment can be achieved. While meeting the high illuminance, adjust the lighting parameters according to the needs of different surgeons, so that the surgeon's perception of light is soft and no glint.

## OSRAM

CRI

≥96

Lux

140000

Kelvin

3500-5000



### Lens

Each lens adopts a 40mm super large lens, and the lens arrangement is arranged according to the biology of insect compound eyes, and the mutual distance is less than 1mm, so that the shadowless effect is better.

Super Large Lens

40mm



### Temperature Rise (Surgical Field)

LED cold light source has no infrared radiation, coupled with our nano-coated radiator, created our excellent heat dissipation effect. It solves the problem of the doctor's head temperature being too high during the operation, and creates a more comfortable operation environment for the doctor; it also effectively avoids the loss of water and infection of the surgical wound, which is conducive to the rapid recovery of the patient's wound after the operation.

Temperature Rise (Surgical Field)

≤1℃



### Lighting Mode

With a variety of lighting modes, one-key switching, adapt to different clinical surgery scenes.

Lighting Mode

4

# LUX / series



## LED Operation Lamp

The LED surgical shadowless lamp is composed of multiple lamp bulbs. The bulb has a longer life than the traditional shadowless lamp. It is round or petal-shaped. It is fixed on the balance arm suspension system. It is stable in positioning and can be moved vertically or cyclically. It can meet different heights during surgery.



The design of the lamp holder focuses on reducing the turbulence. The streamlined lampshade of the whole lamp arm is carefully designed according to the principle of aerodynamics, which is fully in line with the standard of a modern new operating room.

The coating is sprayed with world-leading Akzo Nobel powder coating and anti-glare treatment, which meets the demanding requirements of surgical lighting.



		HW-LLD0503E	HW-LLD05E	HW-LLD03E	HW-LLY03E
Diameter of lighthouse	mm	860/700	860	700	700
Illumination	Lux	140000/120000	140000	120000	120000
Color Temperature	Kelvin	3500-5000	3500-5000	3500-5000	3500-5000
Color Rendering Index(CRI)	Ra	≥96	≥96	≥96	≥96
Temperature rise(Surgeon head)	°C	≤3	≤3	≤2	≤2
Temperature rise(Surgical field)	°C	≤1	≤1	≤1	≤1
Effective Focusing Depth	cm	100	100	100	100
Lighting Spot Size	cm	22-31	22-31	22-31	22-31
L1+L2 depth of illumination	cm	100	100	100	100
Average Bulb Life	hours	≥50000	≥50000	≥50000	≥50000

Illumination/Lighting Spot Size: at 1m

## LUX / series LED Operation Lamp



		HW-LLD0404D	HW-LLD0303D	HW-LLD04D	HW-LLD03D
Diameter of lighthouse	mm	700/700	615/615	700	615
Illumination	Lux	160000/160000	140000/140000	160000	140000
Color Temperature	Kelvin	3500-5000	3500-5000	3500-5000	3500-5000
Color Rendering Index(CRI)	Ra	≥96	≥96	≥96	≥96
Temperature rise(Surgeon head)	°C	≤2	≤2	≤2	≤2
Temperature rise(Surgical field)	°C	≤1	≤1	≤1	≤1
Effective Focusing Depth	cm	100	100	100	100
Lighting Spot Size	cm	10-25	10-25	10-25	10-25
L1+L2 depth of illumination	cm	100	100	100	100
Average Bulb Life	hours	≥50000	≥50000	≥50000	≥50000

Illumination/Lighting Spot Size: at 1m

## IXUS / series LED Operation Lamp




		HW-LLD7272C	HW-LLD7252C	HW-LLD72C	HW-LLD52C	HW-LLY72C	HW-LLY52C
Diameter of lighthouse	mm	720/720	720/520	720	520	720	520
Illumination	Lux	160000/160000	160000/160000	160000	160000	160000	160000
Color Temperature	Kelvin	3000-6700	3000-6700	3000-6700	3000-6700	3000-6700	3000-6700
Color Rendering Index(CRI)	Ra	≥98	≥98	≥98	≥98	≥98	≥98
Temperature rise(Surgeon head)	°C	≤1	≤1	≤1	≤1	≤1	≤1
Temperature rise(Surgical field)	°C	≤2	≤2	≤2	≤2	≤2	≤2
Effective Focusing Depth	cm	130	130	130	110	130	110
Lighting Spot Size	cm	10-35	10-35	10-35	10-35	10-35	10-35
L1+L2 depth of illumination	cm	100	100	100	100	100	100
Average Bulb Life	hours	≥60000	≥60000	≥60000	≥60000	≥60000	≥60000

Illumination/Lighting Spot Size: at 1m



## WILLYS / series

### LED Operation Lamp




		HW-LLD7070A	HW-LLD7050A	HW-LLD70A	HW-LLD50A	HW-LLY70A	HW-LLY50A
Diameter of lighthouse	mm	700/700	700/500	700	500	700	500
Illumination	Lux	180000/180000	180000/160000	180000	160000	180000	160000
Color Temperature	Kelvin	3700-5000	3700-5000	3700-5000	3700-5000	3700-5000	3700-5000
Color Rendering Index(CRI)	Ra	85-95	85-95	85-95	85-95	85-95	85-95
Temperature rise(Surgeon head)	°C	≤1	≤1	≤1	≤1	≤1	≤1
Temperature rise(Surgical field)	°C	≤1	≤1	≤1	≤1	≤1	≤1
Effective Focusing Depth	cm	60-130	60-130	60-130	60-130	60-130	60-130
Lighting Spot Size	cm	16-28	16-28	16-28	16-28	16-28	16-28
L1+L2 depth of illumination	cm	130	130	130	130	130	130
Average Bulb Life	hours	≥80000	≥80000	≥80000	≥80000	≥80000	≥80000

Illumination/Lighting Spot Size: at 1m

## IXUS / series

### LED Operation Lamp




		HW-LLD0505C	HW-LLD05C	HW-LLY05C	HW-LLY03C
Diameter of lighthouse	mm	650/650	650	650	650
Illumination	Lux	180000/180000	180000	180000	160000
Color Temperature	Kelvin	4000-6000	4000-6000	4000-6000	4000-6000
Color Rendering Index(CRI)	Ra	85-95	85-95	85-95	85-95
Temperature rise(Surgeon head)	°C	≤1	≤1	≤1	≤1
Temperature rise(Surgical field)	°C	≤1	≤1	≤1	≤1
Effective Focusing Depth	cm	60-130	60-130	60-130	60-130
Lighting Spot Size	cm	16-28	16-28	16-28	16-28
L1+L2 depth of illumination	cm	≥130	≥130	≥130	≥130
Average Bulb Life	hours	≥80000	≥80000	≥80000	≥80000

Illumination/Lighting Spot Size: at 1m

# WILLYS / series

## LED Operation Lamp




		HW-LLD0404B	HW-LLD04B	HW-LLY04B
Diameter of lighthouse	mm	675/675	675	675
Illumination	Lux	160000/160000	160000	160000
Color Temperature	Kelvin	3000-6700	3000-6700	3000-6700
Color Rendering Index(CRI)	Ra	≥97	≥97	≥97
Temperature rise(Surgeon head)	°C	≤1	≤1	≤1
Temperature rise(Surgical field)	°C	≤2	≤2	≤2
Effective Focusing Depth	cm	130	130	130
Lighting Spot Size	cm	10-30	10-30	10-30
L1+L2 depth of illumination	cm	≥120	≥120	≥120
Average Bulb Life	hours	≥60000	≥60000	≥60000

Illumination/Lighting Spot Size: at 1m

# HW-PQ004

## Multi-arm Medical Ceiling Pendant

The multi-arm combined medical bridge ceiling pendant is suitable for compact ICU rooms, the combination of flexible arms and function columns can make full use of the space of the ICU rooms.



# HW-PT001

## Single Arm Medical Bridge Ceiling Pendant

The single arm medical bridge ceiling pendant, meeting the daily load-bearing requirements and using strong material, made of imported antibacterial plastic powder, ensuring the cleanliness of the operating environment. Its rich accessories matching various systems, greatly extending the clinical practicability.



### Mattress (OEM Size)


#### HWP003



Air Through Water Proof



PU Composite



TPU Fabric Composite



Canvas Composite

#### HWP011



High Density Foam

Memory Foam



PU Composite



#### HWP006

Air Mattress



#### Mattress

Arrangement	2.5" bubble pad	Dimension	2000×900×70mm
Material	medical grade PVC	Weight	3kg

#### HWP013

Air Mattress



#### Mattress

Standard Size	80"×32"×5"	Bottom	tarpaulin /nylon PU
Top cover	Nylon PU /strength	Mattress weight	5.5-7kg
Air cells	Nylon / PVC/TPU	Weight Capacity	135-145kg

#### HWP012

Air Mattress



#### Mattress

Standard Size	80"×32-36"	Bottom	tarpaulin /nylon PU
Top cover	Nylon PU /strength	Mattress weight	5.5-6.5kg
Air cells	Nylon / PVC/TPU	Weight Capacity	135-145kg

#### HWP015

ICU Air Mattress



#### Mattress

Standard Size	80"×32"×8"	Bottom	tarpaulin /nylon PU
Top cover	Nylon PU /strength	Mattress weight	10kg
Air cells	Nylon / PVC/TPU	Weight Capacity	180kg

**HWS02**

ABS Bedside Table

480×465×745mm(L×W×H)



**HWS02-W**

ABS Bedside Table

480×465×785mm(L×W×H)



**HWS02-5**

ABS Bedside Table

480×480×760mm(L×W×H)



**HWS03**

ABS Bedside Table

480×460×900mm(L×W×H)



**HWS005**

Steel Bedside Table

480×400×790mm(L×W×H)



**HWS007-3**

Steel Bedside Table

440×460×810mm(L×W×H)



**HWS007-4**

Steel Bedside Table

440×460×810mm(L×W×H)



**HWS036**

Bedside Table

440×440×790mm(L×W×H)



**HWS008**

ABS+Steel Bedside Table

500×510×705mm(L×W×H)



**HWS013-1**

ABS+Steel Bedside Table

575×500×750mm(L×W×H)



**HWS006-1**

Stainless Steel Bedside Table

475×390×780mm(L×W×H)



**HWS020**

Solid Wood Bedside Table

500×430×650mm(L×W×H)



**HWS025**

Phenolic Resin Bedside Table

475×475×800mm(L×W×H)



**HWH046-11**

Overbed Table

Technical Parameters

800×395×870-1170mm

Technical Configuration

✓ Air Spring for Height Adjustment

✓ Phenolic Resin Table Top

300mm  
Height  
Adjustment



**HWH046-2**

Overbed Table

400mm  
Height  
Adjustment



Technical Parameters

890×440×765-1050mm

Technical Configuration

✓ Air Spring for Height Adjustment

✓ ABS Table Top with Cup Socket



**HWH046-14**

Overbed Table

300mm  
Height  
Adjustment



Technical Parameters

890×400×890-1190mm

Technical Configuration

✓ Air Spring for Height Adjustment


✓ ABS Table Top with Cup Socket and Push Handle



**HWH042**

Overbed Table

400mm  
Height  
Adjustment



Technical Parameters

800×410×730-1130mm

Technical Configuration

✓ Air Spring for Height Adjustment

✓ MDF Table Top



**HWH046-1**

Telescopic Dining Board

150mm  
Telescopic



Technical Parameters

870-1020×350×28mm

Technical Configuration

✓ Hook



### HWE001

Attendant Chair

#### Technical Parameters

Seat Size	680×720×940mm
Bed Size	680×1900×590mm

#### Technical Configuration

<input checked="" type="checkbox"/> Arm	1 set
<input checked="" type="checkbox"/> 2" Castors	4pcs
<input checked="" type="checkbox"/> 3" Castors	2pcs
<input checked="" type="checkbox"/> Anti-slip Feet Cover	4pcs
<input checked="" type="checkbox"/> Pillow	1pc



### HWE001-3

Luxury Attendant Chair

#### Technical Parameters

Seat Size	710×720×950mm
Bed Size	710×1940×420mm

#### Technical Configuration

<input checked="" type="checkbox"/> Wood Arm Frame	1 set
<input checked="" type="checkbox"/> 2" Castors	2pcs
<input checked="" type="checkbox"/> Anti-slip Feet Cover	2pcs
<input checked="" type="checkbox"/> Pillow	1pc



### HWE001-4

Luxury Attendant Sofa

#### Technical Parameters

Seat Size	1350×900×650mm
Bed Size	1900×1350×500mm



### HWE014-5

Luxury Attendant Sofa

#### Technical Parameters

Seat Size	900×900×650mm
Bed Size	1900×900×500mm



### HWE-135

Electric Two Function Dialysis Chair



<b>-10°-70°</b> Back Section Adjustment	<b>-70°-0°</b> Leg Section Adjustment

#### Technical Parameters

1800×550×550mm

#### Technical Configuration

- Hand Controller
- Power Line
- 3" Silent Caster
- Small Dining Table



### HWE-131

Electric Two Function Dialysis Chair



<b>-10°-70°</b> Back Section Adjustment	<b>-50°-0°</b> Leg Section Adjustment

#### Technical Parameters

1880×590×560mm

#### Technical Configuration

- Hand Controller
- Power Line
- 3" Silent Caster
- Small Dining Table



### HWE-133

Electric Three Function Dialysis Chair



<b>-8°-70°</b> Back Section Adjustment	<b>-60°-0°</b> Leg Section Adjustment	<b>550-750mm</b> Height Adjustable

#### Technical Parameters

2000×580×(550-750)mm

#### Technical Configuration

- Hand Controller
- Power Line
- 3" Silent Caster
- With CPR
- Small Dining Table



### HWE-134

Electric Three Function Dialysis Chair



<b>-8°-70°</b> Back Section Adjustment	<b>-50°-0°</b> Leg Section Adjustment	<b>550-700mm</b> Height Adjustable

#### Technical Parameters

1910×580×(550-700)mm

#### Technical Configuration

- Hand Controller
- Power Line
- 3" Silent Caster
- Small Dining Table



## HWE-132

### Electric Dialysis Chair



0° - 70° Back Section Adjustment	-70° - 0° Leg Section Adjustment
-------------------------------------	-------------------------------------



- Technical Parameters**  
1750×580×530mm
- Technical Configuration**
- Hand Controller
  - 3" Silent Caster
  - Small Dining Table

## HWE087

### Reclining Chair

#### Technical Parameters

Seat Size	820×850×1070mm
Bed Size	820×1600×450mm



Teacup Mat



## HWE091

### Blood Donation Chair

#### Functions

Back-rest	0°-70°
Leg Rest Down Fold	0°-90°

#### Technical Parameters

Seat Size	560×1030×1200mm
Bed Size	560×1650×470mm

#### Technical Configuration

<input checked="" type="checkbox"/> Arm	2pcs
<input checked="" type="checkbox"/> Anti-slip Feet Cover	4pcs



## HWE090

### Blood Donation Chair

#### Technical Parameters

Seat Size	910×480×960mm
-----------	---------------

#### Technical Configuration

<input checked="" type="checkbox"/> Arm	2pcs
<input checked="" type="checkbox"/> Anti-slip Feet Cover	4pcs



## HWE004-1

### Transfusion Chair

#### Technical Parameters

Seat Size	670×800×1050mm
-----------	----------------

#### Technical Configuration

<input checked="" type="checkbox"/> Anti-slip Feet Cover	4pcs
<input checked="" type="checkbox"/> Wooden Armrest	2pcs
<input checked="" type="checkbox"/> IV Pole Previsions	2pcs
<input checked="" type="checkbox"/> IV Pole	1 set



## HWE005

### Transfusion Chair

#### Technical Parameters

Seat Size	750×1000×1050mm
Bed Size	750×1550×450mm

#### Technical Configuration

<input checked="" type="checkbox"/> Anti-slip Feet Cover	4pcs
<input checked="" type="checkbox"/> Wooden Armrest	2pcs
<input checked="" type="checkbox"/> IV Pole Previsions	2pcs
<input checked="" type="checkbox"/> IV Pole	1 set
<input checked="" type="checkbox"/> Utility Basket	1 pc



## Treatment waiting Chairs



**HWE011-1**  
Material: PU  
1780×710×900mm(L×W×H)



**HWE011-2**  
Material: PU  
1630×665×850mm(L×W×H)



**HWE011**  
Material: PU  
1770×605×845mm(L×W×H)



**HWE006-1**  
Material: PVC  
1655×675×870mm(L×W×H)



**HWE006-2**  
Material: PU  
1800×640×840mm(L×W×H)



**HW-CL001** **HW-CL501**  
Curtain Track



**HWE020-1**  
Step Stool  
Size: 490×405×170/340mm



**HWH049**  
Stainless Steel Screen  
Size: 2000×1870mm



**HWH034**  
Trash Can



12L

**HWH034-5**  
Kick Bucket  
Size: Φ400×H360×14L



14L

**HWH041-3**  
I.V. Stand  
Size: 500×490×1350-2250mm



**HW041(1)**  
I.V. Stand  
Size: Φ520×1350-2250mm



**HWH041(13)**  
I.V. Stand  
Height Adjustment: 1420-1850mm



**HWH041(17)**  
I.V. Stand  
Height Adjustment: 1100-2100mm



**HWE180**  
Electric Wheelchair  
Size: 1150×650×950mmmm



**HWE030**  
Wheelchair  
Powder Coated Steel Structure  
Seat Dimension: 395×455mm  
Size: 1030×650×870mm



**HWE031**  
Commode Chair  
Height Adjustable, with Foot Pedal  
Aluminium Folding Frame, Plastic  
Size: 880×530×900mm



**HWE802**  
Dental Chair  
Chrome Plated Structure with Polyurethane Foam Seat  
Size: Φ350×450-560mm



**HWE015-2**  
Nurse Stool  
Chrome Plated Structure with PU Foam Seat Top  
Size: Φ340×490-680mm



**HWE801**  
Nurse Stool  
Stainless Steel Base with PU Leather,  
High Density Sponge Seat  
Size: Φ350×490-630mm



**HWE015-5**  
Nurse Stool  
Chrome Plated Structure with PU Leather,  
High Density Sponge Seat  
Size: Φ330×445-575mm



**HWE013**  
Nurse Stool  
Chrome Plated Structure with PU Foam Seat Top  
Size: Φ330×445-575mm



**HWE015-4**  
Nurse Stool  
Chrome Plated Structure with PU Leather,  
High Density Sponge Seat  
Size: 440×400×450-590mmmm



**HWE013-11**  
Lab Chair  
Chrome Plated Structure with Polyurethane Foam Seat  
Size: 330×230×450-590mmmm



**HWE013-10**  
Lab Chair  
Chrome Plated Structure with Polyurethane Foam Seat  
Size: Φ350×435-575mm



**HWE017-4**  
Stainless Steel Surgical Stool  
201 Stainless Steel Structure with 430 Stainless Steel Seat  
Size: Φ295×500-700mm



# INFUSION ROOM

According to the patient's condition, infusion chairs and infusion beds are provided for patient use. Environmentally friendly, durable, fade-resistant, and acid-alkali corrosion-resistant materials are selected for construction, capable of being cleaned with disinfectant solutions. The metal surfaces are smooth to prevent scratching the patient.





# DENTAL CLINIC

The oral examination room is a specialized workplace for dental work, where dentists generally need to use professional dental chairs to examine and treat patients. The oral examination room can be a separate room or an open space with partitioned examination areas.



## HWL-C0239

### Dental Unit



#### Technical Parameters

Power supply	220V 50Hz	Light arm angle	300°
Input power	1100VA	Moving range up and down	≅ 560 mm
Gas pressure	0.55-0.8 MPa / 5.5-8.0 bar	Handpieces tube flow	When the water pressure is 0.22MPa, the tube flow ≅ 30L/ min
Water pressure	0.2-0.4 MPa / 2.0-4.0 bar	Handpieces revolving speed	≅ 320000r/min
Heater	24V、80VA	Strong suction	When the air pressure is 400kPa, the vacuum degree ≅ 25kPa;
External Size (LxWxH)	1870×850×2170 mm	Weak suction	When the water pressure is 200kPa, the vacuum > 10kPa
Height adjustment	390-710 mm	LED film viewer	The color temperature >6500K and the brightness >2000cd/m2
Backrest adjustment	-5°-80°	LED dental Light	Induction switch, illumination: 10000-30000lux, color temperature 5000K
Balance arm rotating angle	320°	Package size	L1450mm*W1030mm*H1250mm
Moving up/down range	440 mm	Weight	Gross weight: 225KG; Net weight: 190KG
Instrument arm angle	90°		

## HWL-C0241

### Dental Unit



#### Technical Parameters

Power Supply	220V 50Hz	Backrest Adjustment	105°-170°
Input Power	1100VA	Head Rest Expansion	120mm
Gas Pressure	0.55-0.8 MPa / 5.5-8.0 bar	LED Film Viewer	The color temperature >6500K and the brightness >2000cd/m2
Water Pressure	0.2-0.4 MPa / 2.0-4.0 bar	LED Dental Light	Two-color LED, induction switch, strong light ≧30000lx; Low light ≧8000 lx
Gas Displacement	55 L/min	Package Size	L1450mm*W1120mm*H1250mm
External Size (LxWxH)	1880x980x750mm	Weight	Gross weight: 300KG; Net weight: 250KG
Height Adjustment	400-750 mm		

### HWB1A01

Foldable Stretcher

Material: Aluminium Alloy Pipe & Canvas Fabric



#### Technical Parameters

Full Size	2100×500×100mm
Folded Size	580×220×210mm
Net Weight	6kg
Load Bearing	159kg



4-fold

### HWB1A02

Foldable Stretcher

Material: Aluminium Alloy Pipe & Canvas Fabric



#### Technical Parameters

Full Size	2200×530×140mm
Folded Size	1100×180×130mm
Net Weight	6kg
Load Bearing	159kg



2-fold

### HWB1A04

Foldable Stretcher

Material: Aluminium Alloy & Canvas Fabric



#### Technical Parameters

Full Size	1840×510×210mm
Folded Size	920×510×100mm
Net Weight	7.5kg
Load Bearing	159kg




(B) 4-fold

(A) 2-fold

### HWB2B01

Scoop Stretcher


Material: Aluminium alloy



#### Technical Parameters


Full Size	2200×420×70mm
Folded Size	1660×420×70mm
Net Weight	8.5kg
Load Bearing	159kg

### SPINE BOARD



### HWB1C01-1

Foldable Transfer Stair Stretcher




#### Technical Parameters

Full Size	850×520×1370mm
Folded Size	1100×540×180mm

### HWB1C10

Electric Stair Stretcher



#### Technical Parameters

Full Size	1230×500×1600mm
Folded Size	1020×550×210mm

### HWB1C02-1

Manual Stair Stretcher for Downstairs



#### Technical Parameters

Full Size	1250×550×1630mm
Folded Size	1250×550×330mm

### Ambulance Stretcher Trolley

Material: Aluminium Alloy Foam Mattress: PVC Cover

#### HWB039(A)



##### Technical Parameters

Full Size	1900×550×400mm	Net Weight	25.5kg
Back-rest	70°	Load Bearing	159kg

#### HWB039(E)



##### Technical Parameters

Full Size	1900×540×800mm	Net Weight	45kg
Lowest Size	1900×540×200mm	Load Bearing	159kg
Back-rest	85°		

#### HWB039(C)



##### Technical Parameters

Full Size	1900×550×920mm	Net Weight	36.8kg
Lowest Size	1900×550×260mm	Load Bearing	159kg
Back-rest	70°		

#### HWB039(D)



##### Technical Parameters

Full Size	1950×550×870mm	Net Weight	40kg
Lowest Size	1950×550×230mm	Load Bearing	159kg
Back-rest	70°		

### HWB037(A)

Stretcher Trolley

Size: 1960×600×810mm



### HWB037(B)

Patient Trolley

Size: 1960×520×770mm



### HWB037(C)

Patient Trolley

Size: 1930×760×620-900mm



### HWB038-2

Patient Trolley


Size: 1900×700×620-900mm



### HWB038-4

Patient Trolley

Size: 1900×700×620-900mm



### HWB041-3S

Hydraulic Patient Trolley

Size: 2150×790×635-895mm



## HWB041-1

### Patient Transportation Trolley

**70°±10°**  
Back-rest

**300mm**  
Height Adjustment  
550-850mm



#### Technical Parameters

Length	1900mm
Width	640mm
Min. Height	550mm
Max. Height	850mm

#### Technical Configuration

<input checked="" type="checkbox"/> Crank System	1set	<input checked="" type="checkbox"/> Directional Wheel	1pc	<input checked="" type="checkbox"/> Central Locking Break Pedal	2pcs
<input checked="" type="checkbox"/> Back Rest Gas Spring	1pc	<input checked="" type="checkbox"/> IV Pole Previsions	2pcs	<input checked="" type="checkbox"/> Transfer Mattress	1pc
<input checked="" type="checkbox"/> ABS Side Rail	1set	<input checked="" type="checkbox"/> IV Pole	1set	<input checked="" type="checkbox"/> Directional Pedal	2pcs
<input checked="" type="checkbox"/> 6" Castors with Central Locking	4pcs	<input checked="" type="checkbox"/> Oxygen Cylinder Holder	1pc		

## HWB041-2

### Patient Transportation Trolley

**75°±10°**  
Back-rest

**300mm**  
Height Adjustment  
650-960mm

**15°**  
Reverse Trendelenburg

**15°**  
Trendelenburg



#### Technical Parameters

Length	1910mm
Width	640mm
Min. Height	650mm
Max. Height	960mm

#### Technical Configuration

<input checked="" type="checkbox"/> Hydraulic Pump	2pcs	<input checked="" type="checkbox"/> Directional wheel	1pc	<input checked="" type="checkbox"/> Directional Pedal	2pcs
<input checked="" type="checkbox"/> Back Rest Air Spring	1pc	<input checked="" type="checkbox"/> IV Pole Previsions	2pcs	<input checked="" type="checkbox"/> Transfer Mattress	1pc
<input checked="" type="checkbox"/> ABS Side Rail	1set	<input checked="" type="checkbox"/> IV Pole	1set		
<input checked="" type="checkbox"/> 8" Castors, Central Locking	4pcs	<input checked="" type="checkbox"/> Central Locking Break Pedal	2sets		

## HWB041-3

### Patient Transportation Trolley

**85°±10°**  
Back-rest

**45°**  
Knee-rest

**310mm**  
Height Adjustment

**15°**  
Reverse Trendelenburg

**15°**  
Trendelenburg



#### Technical Parameters

Length	2120mm
Width	840mm
Height (X-ray Backrest)	550-860mm
Height (X-ray Platform)	600-910mm

#### Technical Parameters

<input checked="" type="checkbox"/> USA Hydraulic Pump	2pcs	<input checked="" type="checkbox"/> Directional Wheel	1pc	<input checked="" type="checkbox"/> Ø74mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> Crank System	1set	<input checked="" type="checkbox"/> Folding Side Rail	1set	<input checked="" type="checkbox"/> Central Locking Break Pedal	2sets
<input checked="" type="checkbox"/> Back Rest Gas Spring	2pcs	<input checked="" type="checkbox"/> IV Pole	1set	<input checked="" type="checkbox"/> Directional Wheel Release Pedal	2pcs
<input checked="" type="checkbox"/> 8" Castors, Central Locking	4pcs	<input checked="" type="checkbox"/> IV Pole Previsions	4pcs	<input checked="" type="checkbox"/> X-ray Translucent Bed Platform	1set
<input checked="" type="checkbox"/> Emergency Push Handle	1set	<input checked="" type="checkbox"/> Mattress	1pc		

## HWB041-6

### Patient Transportation Trolley

**70°±10°**  
Back-rest

**340mm**  
Height Adjustment  
510-850mm



#### Technical Parameters

Length	1930mm
Width	660mm
Min. Height	510mm
Max. Height	850mm

#### Technical Parameters

<input checked="" type="checkbox"/> Crank System	1set	<input checked="" type="checkbox"/> Directional Wheel	1pc	<input checked="" type="checkbox"/> Oxygen Cylinder Holder	1pc
<input checked="" type="checkbox"/> Back Rest Air Spring	1pc	<input checked="" type="checkbox"/> Directional Pedal	2pcs	<input checked="" type="checkbox"/> Central Locking Break Pedal	4pcs
<input checked="" type="checkbox"/> Plastic Side Rail	1set	<input checked="" type="checkbox"/> IV Pole Previsions	2pcs	<input checked="" type="checkbox"/> Transfer Mattress	1pc
<input checked="" type="checkbox"/> 6" Castors, Central Locking	4pcs	<input checked="" type="checkbox"/> IV Pole	1set	<input checked="" type="checkbox"/> Safe Lock for Side Rail	2pcs

# HWB041-10

## Patient Transportation Trolley



### Technical Parameters

Length	2150mm
Width	830mm
Min. Height	560mm
Max. Height	890mm

### Technical Parameters

<input checked="" type="checkbox"/> Crank System	1set	<input checked="" type="checkbox"/> Directional Wheel	1pc	<input checked="" type="checkbox"/> Central Locking Break Pedal	4pcs
<input checked="" type="checkbox"/> Back Rest Air Spring	1pc	<input checked="" type="checkbox"/> Directional Pedal	2pcs	<input checked="" type="checkbox"/> Transfer Mattress	1pc
<input checked="" type="checkbox"/> Plastic Side Rail	1set	<input checked="" type="checkbox"/> IV Pole Previsions	2pcs	<input checked="" type="checkbox"/> Safe Lock for Side Rail	2pcs
<input checked="" type="checkbox"/> 6" Castors, Central Locking	4pcs	<input checked="" type="checkbox"/> IV Pole	1set	<input checked="" type="checkbox"/> Emergency Push Handle	1set
<input checked="" type="checkbox"/> USA Hydraulic Pump	2pcs	<input checked="" type="checkbox"/> Back Rest Gas Spring	1pc	<input type="checkbox"/> Device platform	1pc
<input checked="" type="checkbox"/> Wall Bumper Wheel	4pcs	<input checked="" type="checkbox"/> Oxygen Cylinder Holder	1pc		

# HWB041

## Operation Connecting Trolley



### Technical Parameters

Length	3600mm
Width	710mm
Min. Height	650mm
Max. Height	920mm

### Technical Configuration

<input checked="" type="checkbox"/> Crank System	2pcs	<input checked="" type="checkbox"/> 6" Castors with Central Locking	8pcs	<input checked="" type="checkbox"/> Directional Wheel Release Pedal	4pcs
<input checked="" type="checkbox"/> Back Rest Air Spring	1pc	<input checked="" type="checkbox"/> IV Pole Previsions	2pcs		
<input checked="" type="checkbox"/> ABS Side Rail	1set	<input checked="" type="checkbox"/> IV Pole	1set		
<input checked="" type="checkbox"/> Directional Wheel	2pcs	<input checked="" type="checkbox"/> Central Locking Break Pedal	4pcs		

**HWR-AB00**

New All-in-One Computer Cart  
Size: 490×780×980-1030mm



**HWR-A01**

Simple All-in-one Computer Cart  
Size: 650×490×1260mm



**HWR-B00**

Simple All-in-one Computer Cart  
Size: 533×455×750-1150mm



**HWR-IB00**

Simple Laptop Cart  
Size: 533×455×750-1150mm



**HWR-J10**

Patient Monitor Cart  
Size: 505×630×950mm



**HWR-J21**

Endoscopic System Equipment Cart  
Size: 665×630×1650mm



**HWR-R06**

Monitor Cart  
Size: 510×1000mm



**HWR-R05**

Tablet Cart  
Size: 510×830mm



**HWR-R03**

Laptop Cart  
Size: 530×520×850mm



**HWR-R04**

Ward Rounds Cart  
Size: 530×520×730mm



**HWR-R02**

Mobile Multi-function Information Search Cart  
Size: 530×520×1200mm




**HWR-R01**

Information Nursing Cart  
Size: 520×620×1315mm



**HWR054-ET**

Emergency Trolley  
Size: 750×475×920mm



**ABS TROLLEY**

Healthward

**HWR051-ET**

Emergency Trolley  
Size: 750×475×930mm  
850×520×960mm



**HWR054-AT**

Anesthesia Trolley  
Size: 750×475×930mm  
850×520×960mm



**HWR054-MT**

Medicine Trolley  
Size: 750×480×920mm  
850×520×950mm



**HWR-CT750-1**

Clinical Trolley  
Size: 750×475×920mm



**HWR058-ET**

Emergency Trolley  
Size: 790×610×1000mm



**HWR058-MT**

Anesthesia Trolley  
Size: 820×640×1080mm



**HWR058-NT**

Nursing Trolley  
Size: 680×640×1150mm



**HW-ET830**

Emergency Trolley  
Size: 830×560×1160mm



**HWR-ET625**

Emergency Trolley  
Size: 625×475×930mm



**HWR-AT625-1**

Anesthesia Trolley  
Size: 625×475×930mm



**HWR-MT625**

Medicine Trolley  
Size: 625×475×930mm



**HWR-CT625-1**

Clinical Trolley  
Size: 625×475×920mm



**HW-ET75077A**

Emergency Trolley  
Size: 750×475×930mm



**HW-AT75077A2**

Anesthesia Trolley  
Size: 750×475×930mm



**HW-CT75077C2**

Treatment Trolley  
Size: 750×475×920mm



**HWR-ET850**

Emergency Trolley  
Size: 850×520×990mm



**HWR004**

ABS Trolley  
Size: 730×480×900mm



**HWR007**

ABS Trolley  
Size: 730×480×900mm



**HWR021-8**

Case History Trolley  
Size: 750×410×950mm



**HWR022**

Case History Trolley  
Size: 450×410×950mm



**HWR-CT600**

Clinical Trolley  
Size: 1100×470×1000mm



**HWR-MT606**

Clinical Trolley  
Size: 1100×470×1100mm



**HWR-CT232**

Clinical Trolley  
Size: 780×475×1000mm



**HWR-CT601**

Clinical Trolley  
Size: 1100×470×1150mm



**HWR001-2**

ABS Trolley  
Size: 539×366×845mm  
640×456×845mm  
760×520×845mm



**HWR002-3**

ABS Trolley  
Size: 539×366×855mm



**HW-MT650**

Medicine Trolley  
Size: 650×492×1040mm



**HW-ET750**

Emergency Trolley  
Size: 750×530×1050mm



**HWH040**

Laundry Trolley  
Size: 800×600×840mm



**HWH040-1G**

Laundry Trolley  
Size: 800×600×865mm



**HWH027**

Laundry Trolley  
Size: 900×450×1050mm



**HWR-WC561**

Waste Collecting Trolley  
Size: 800×590×890mm





**HWH006C**

Instrument Trolley  
[Disassembly structure]  
Size: 670×450×900mm



**HWH006**

Instrument Trolley  
Size: 670×450×900mm



**HWH001**

Treatment Trolley  
Size: 670×450×900mm



**HWH002**

Dressing Trolley  
Size: 670×450×900mm



**HWH006-1**

Treatment Trolley  
Size: 670×450×900mm



**HWH004**

Instrument Trolley  
Size: 670×450×900mm



**HWH006-5**

Treatment Trolley  
Size: 460×460×860mm



**HWH005**

Fan-shaped Instrument Trolley  
Size: L: 1550×460×900mm



**HWH029**

Dressing Trolley  
Size: 670×450×900mm



**HWH018**

Anesthesia Trolley  
Size: 600×400×850mm



**HWH032**

Infusion Treatment Trolley  
Size: 670×450×1700mm



**HWH012**

Insulated Food Cart  
Heat store type  
Size: 1030×550×980mm



**HWH021**

Emergency Trolley  
Size: 700×400×850mm



**HWH019**

Emergency Trolley  
Size: 700×400×850mm



**HWH028**

Medicine Trolley  
Size: 670×450×1000mm



**HWH007-1**

Stainless Steel Trolley  
Size: L: 1000×500×900mm  
M: 880×430×860mm  
S: 760×360×820mm



**HWH013**

Stainless Steel Trolley  
for Medical Record Holder (40 shelves)  
Size: 630×430×900mm



**HWH014**

Stainless Steel Trolley  
for Medical Record Holder (20 shelves)  
Size: 340×400×900mm



**HWH070**

Work Table  
Size: 1200×600×800mm



**HWH077**

Work Table  
Size: 1200×800/300×1600mm



**HWH078**

Shelf With Four Layers  
Size: 1200×600×1800mm



**HWH105**

Wet Linen Trolley  
Size: 815×610×750mm



**HWH048**

Oxygen Bottle Trolley  
Size: 1435×360×1040mm




**HWH088**

Swab Stand  
Size: 900×500×1500mm




**HWH036**


Stainless Steel Washing Sink  
Size: 1200(W)×600(D)×1100(H)mm



Size: 600(W)×600(D)  
×1100(H)mm



Size: 1800(W)×600(D)  
×1100(H)mm



Size: 2400(W)×600(D)  
×1100(H)mm



**HWH041 (5)**

Wash Basin  
Size: Φ520×810-1300mm



SKH041(5)-2

**HWH038-2**

Mayo Trolley  
Size: 500×350×870-1300mm



NOTE