




HWV4v

MANUAL BED




Healthward

Healthier
your life

HWV4v

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxW):	2130x1025 mm
▪ Mattress platform:	1925x900 mm
▪ Safe working load:	250 kg
▪ Height adjustment:	475-725 mm
▪ Back-rest adjustment:	0-73° (±5°)
▪ Knee-rest adjustment:	0-38° (±5°)
▪ Trendelenburg and Reverse Trendelenburg:	0-12°
▪ Angle indicator:	0-90°
▪ Position line:	30°

Technical configuration

<input checked="" type="checkbox"/> Manual Crank	4 pcs
<input checked="" type="checkbox"/> 5" Covered Castors	4 pcs
<input checked="" type="checkbox"/> PP side rail extra height	1 set
<input checked="" type="checkbox"/> PP bed ends with safe lock with Ø65 bumper wheels	1 set
<input checked="" type="checkbox"/> PP bed platform with integrated mattress retainer	1 set
<input checked="" type="checkbox"/> IV pole 4 hooks	1 set
<input checked="" type="checkbox"/> IV pole prevision	4 pcs
<input checked="" type="checkbox"/> Drainage hook	2 pcs


Optional

- Utility Shelf
- Trapeze Bracket/Pole

Optional color (MOQ100pcs- color changing)




POSTURE FUNCTION




Safe working load

250_{kg}



Back-rest adjustment

73°



Knee-rest adjustment

38°



Height adjustment

475-725_{mm}



Reverse trendelenburg

12°



Trendelenburg

12°

QUALITY CONTROL

Healthward, as a pioneer in the field of medical furniture, always choose branded suppliers strictly to ensure the safety and reliability of raw material. Healthward adopt robot welding, automatic epoxy coating, efficient assembly line, dedicated operator, rigorous quality control, only to guarantee Healthward's commitment on quality



Design

The unique germ-free design meets hospitals' strict infection control requirement. Seamless PP head and foot board and platform ensure the instant and sufficient sterilization.



Steels | welding

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth welding.



Plastic | Painting

Environmental plastic can be sterilized in 100°C, tensile upto 30MPa.
11 Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.

Accessories



Platform

Integrated PP bed platform, adopting advanced manufacturing technology.

4-5 section platform, enables independent installation and easy maintenance.

Enlarge the seat area when back part is raised, providing more comforts for the patients.

Reduce the depression of the sponge at the seat panel.



Castors

5" covered casters. TPR tire no worn out after running 10 km.

Anti-winding hard shell cover, united forming without bolts.

Pass dynamic test: pass obstacles 40000 times, under the standard 200kg load of the whole bed.

Head & Foot Board

LG Chem fresh PP material, Plug in type.
Equipped with the bumpers wheel, diameter 65mm, preventing collision.

**Angle Indicator**


With built-in angle indicator, it clearly shows back-rest and trendelenburg position.

**Guardrail**

Tuck away side rail with buffer integrated.
Integrated handle facilitates the patients to get up/off the bed.

**Wall bumper wheel**


Horizontal corner bumpers at the outermost periphery of the bed to protect the bed and wall.

**Mattress Retainer**

Platform integrated mattress retainer at the both sides of the back and leg section, with a boarder of 33mm height.

**Drainage Hooks**

Plastic drainage hook integrated inside the siderails.

**Drainage Hooks**

Mobile plastic drainage hooks.

**IV Pole**

SS IV pole, bearing 15kg.



As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.

Healthward



 17800 CASTLETON ST STE 180.CITY OF INDUSTRY CA 91748

 +1 (603) 416-3063 ·  24/7

 export@health-ward.com

 www.health-ward.com



General catalogue