



HWV8w

ELECTRIC BED




Healthward

Healthier
your life

HWV8w

FEATURES AND HIGHLIGHTS



Technical parameters

External size (LxW):	2085x1020 mm
Mattress platform:	1925x900mm
Safe working load:	250 kg
Height adjustment:	455-745 mm
Back-rest adjustment:	0-75° (±5°)
Knee-rest adjustment:	0-46° (±5°)
Trendelenburg:	0-12°
Reverse trendelenburg:	0-12°


Technical configuration

<input checked="" type="checkbox"/> Linear motor	4 pcs
<input checked="" type="checkbox"/> Hand controller	1 pc
<input checked="" type="checkbox"/> 5" Covered Castors	4 pcs
<input checked="" type="checkbox"/> L-shaped foldable side rail	1 set
<input checked="" type="checkbox"/> PP bed ends with safe lock with Φ65 bumper wheels	1 set
<input checked="" type="checkbox"/> PP bed platform with integrated mattress retainer	1 set
<input checked="" type="checkbox"/> IV pole 4 hooks	1 set
<input checked="" type="checkbox"/> IV pole prevision	4 pcs
<input checked="" type="checkbox"/> Drainage hook	2 pcs

Optional

- Auto-regression (back section)
- X-ray translucent mattress platform (back section)
- Manual CPR
- Night light
- Emergency stop button
- Battery back-up
- Weighing system
- Nurse controller
- Utility shelf
- Trapeze bracket/pole

Optional color (MOQ100pcs- color changing)



QUALITY CONTROL

Healthward, as a pioneer in the field of medical furniture, always choose branded suppliers strictly to ensure the safety and reliability of raw material. Healthward adopt robot welding, automatic epoxy coating, efficient assembly line, dedicated operator, rigorous quality control, only to guarantee Healthward's commitment on quality



Design

The unique germ-free design meets hospitals' strict infection control requirement. Seamless PP head and foot board and platform ensure the instant and sufficient sterilization.



Steels | welding

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth welding.



Plastic | Painting

Environmental plastic can be sterilized in 100°C, tensile upto 30MPa.
11 Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.

Accessories



Platform

Integrated PP bed platform, adopting advanced manufacturing technology. 4-5 section platform, enables independent installation and easy maintenance.

Enlarge the seat area when back part is raised, providing more comforts for the patients.

Reduce the depression of the sponge at the seat panel.



Castors

5" covered casters. TPR tire no worn out after running 10 km.

Anti-winding hard shell cover, united forming without bolts.

Pass dynamic test: pass obstacles 40000 times, under the standard 200kg load of the whole bed.


Head & Foot Board

LG Chem fresh PP material, Plug in type. Equipped with the bumpers wheel, diameter 65mm, preventing collision.



Wall bumper wheel

Horizontal corner bumpers at the outermost periphery of the bed to protect the bed and wall.



Guardrail

L-shaped foldable guardrail (Patent), bended tube, solid installing, 0 shaking, anti-pinch, ensure patient's safety.



Mattress Retainer

Platform integrated mattress retainer at the both sides of the back and leg section, with a boarder of 33mm height.




Hand Controller

Flexible spiral cable for easy mobility and operation in optimal position. The nurse can control all standard functions.



Drainage Hooks

Mobile plastic drainage hooks.



Safe working load

250 kg



Back-rest adjustment

75°



Knee-rest adjustment

46°



Height adjustment

455-745 mm



Reverse trendelenburg

12°



Trendelenburg

12°

Healthward

As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.



 17800 CASTLETON ST STE 180.CITY OF INDUSTRY CA 91748

 +1 (603) 416-3063 ·  24/7

 export@health-ward.com

 www.health-ward.com



General catalogue